

平成25年度 河川

水域名 小瀬川水系

類型： A 測定点：VC-1(両国橋)(055-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	10	1.9	4	2.4E+03	0.39	0.008
5	7.5	10	1.2	3	7.0E+02	0.35	0.010
6	7.2	9.4	1.1	3	1.3E+03	0.45	0.015
7	7.0	9.0	1.3	2	2.3E+03	0.31	0.010
8	7.3	8.4	1.3	2	3.3E+03	0.40	0.015
9	7.4	8.9	1.0	2	7.9E+03	0.41	0.017
10	7.4	9.3	0.7	1	3.3E+03	0.34	0.012
11	7.6	11	0.6	2	4.9E+02	0.32	0.012
12	7.5	11	0.8	2	7.9E+02	0.35	0.011
1	7.5	12	0.7	2	2.3E+02	0.38	0.013
2	7.2	12	0.5	2	3.3E+03	0.41	0.011
3	7.6	11	0.9	2	3.3E+02	0.35	0.011
平均	7.4	10	1.0	2	2.2E+03	0.37	0.012
75%値			1.2				

類型： B 測定点：VC-2(大和橋)(056-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	10	1.7	4	1.3E+03	0.36	0.009
5	7.6	10	1.2	2	1.0E+03	0.36	0.008
6	7.5	9.5	1.4	3	1.4E+03	0.41	0.018
7	7.1	9.1	1.6	1	1.9E+03	0.30	0.011
8	7.4	8.1	1.0	2	1.3E+03	0.38	0.016
9	7.2	9.0	0.7	3	7.0E+03	0.40	0.013
10	7.2	8.9	0.7	<1	7.6E+03	0.34	0.013
11	7.5	10	0.5	1	1.4E+03	0.36	0.010
12	7.6	11	0.8	2	1.0E+03	0.37	0.011
1	7.4	11	1.0	1	2.3E+02	0.39	0.013
2	7.2	12	0.7	2	3.2E+03	0.42	0.012
3	7.4	11	1.0	2	2.3E+02	0.36	0.013
平均	7.4	10	1.0	2	2.3E+03	0.37	0.012
75%値			1.2				

類型： AA 測定点：VC-3(小川津)(054-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	10	2.0	3	3.3E+02	0.34	0.006
5	7.9	10	0.9	<1	3.3E+02	0.27	0.003
6	7.4	9.8	0.9	3	1.1E+03	0.32	0.011
7	7.3	9.3	1.5	1	2.3E+03	0.28	0.008
8	7.4	8.8	1.4	1	1.1E+03	0.29	0.013
9	7.4	9.1	0.8	2	1.3E+03	0.35	0.012
10	7.2	8.5	0.5	<1	1.1E+03	0.32	0.008
11	7.4	10	0.7	<1	3.3E+02	0.35	0.006
12	7.2	10	0.7	1	2.4E+03	0.31	0.007
1	7.5	10	0.6	1	7.0E+02	0.35	0.008
2	7.2	11	0.7	1	4.9E+01	0.30	0.007
3	7.4	12	0.9	2	2.3E+01	0.34	0.010
平均	7.4	9.9	1.0	2	9.2E+02	0.32	0.008
75%値			0.9				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 錦川水系

類型： B 測定点：EC-1(大正橋)(003-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	10	<0.5	1	7.0E+02		
5	7.8	10	0.6	1	7.9E+02		
6	7.5	9.6	0.5	2	2.2E+03		
7	7.5	8.2	0.6	1	2.4E+04		
8	7.5	8.0	0.6	1	1.7E+04		
9	7.5	8.8	0.5	1	7.0E+03		
10	7.6	8.5	<0.5	1	3.3E+03		
11	7.4	10	0.5	<1	3.3E+03		
12	7.5	11	0.5	<1	4.6E+02		
1	7.5	12	<0.5	<1	2.4E+02		
2	7.5	12	0.5	<1	2.2E+02		
3	7.6	12	0.7	<1	4.9E+02		
平均	7.5	10	0.5	1	5.0E+03		
75%値			0.6				

類型： B 測定点：EC-2(愛川橋)(004-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.1	10	<0.5	1	3.3E+02		
5	8.0	9.2	0.6	3	7.9E+02		
6	7.8	7.8	<0.5	3	2.4E+03		
7	8.0	8.3	0.5	3	3.3E+03		
8	7.8	7.3	0.8	5	3.3E+03		
9	8.0	8.1	0.8	2	4.9E+03		
10	8.1	8.6	<0.5	2	1.7E+03		
11	8.0	9.6	0.5	<1	2.2E+03		
12	8.1	11	<0.5	<1	4.9E+02		
1	8.3	12	0.8	<1	4.9E+02		
2	7.8	12	0.6	<1	1.7E+03		
3	8.2	11	0.7	<1	3.3E+02		
平均	8.0	9.6	0.6	2	1.8E+03		
75%値			0.7				

類型： A 測定点：EC-3(愛宕橋)(005-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	<0.5	<1	4.9E+02	0.47	0.011
5	7.7	10	<0.5	<1	2.3E+02		
6	7.6	9.7	<0.5	1	7.9E+02	0.39	0.015
7	7.5	8.4	<0.5	<1	1.3E+03		
8	7.5	8.2	0.5	1	7.9E+03	0.46	0.013
9	7.5	8.9	<0.5	<1	1.3E+03		
10	7.5	8.4	<0.5	<1	4.9E+02	0.37	0.009
11	7.5	10	0.5	<1	2.4E+03		
12	7.5	12	<0.5	<1	2.3E+02	0.48	0.008
1	7.4	12	<0.5	<1	7.9E+01		
2	7.4	12	<0.5	<1	3.3E+02	0.52	0.010
3	7.5	11	0.6	<1	4.9E+02		
平均	7.5	10	0.5	1	1.3E+03	0.45	0.011
75%値			<0.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

類型： A 測定点：EC-4(市上水取水口)(005-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	11	0.5	<1	4.9E+02		
5	7.8	10	0.5	<1	4.9E+01		
6	7.5	9.6	<0.5	1	1.1E+03		
7	7.6	8.7	<0.5	<1	3.3E+03		
8	7.6	8.6	0.5	<1	3.3E+03		
9	7.6	9.4	<0.5	<1	4.9E+03		
10	7.6	9.1	<0.5	<1	1.7E+03		
11	7.5	10	0.5	<1	1.1E+03		
12	7.5	12	<0.5	<1	4.9E+01		
1	7.4	12	<0.5	<1	7.9E+01		
2	7.4	12	<0.5	<1	1.7E+02		
3	7.5	11	0.9	<1	7.0E+01		
平均	7.5	10	0.5	1	1.4E+03		
75%値			0.5				

類型： A 測定点：EC-5(守内橋)(005-03)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	<0.5	1	1.3E+02		
5	7.7	10	<0.5	<1	7.0E+02		
6	7.5	9.5	<0.5	1	1.7E+03		
7	7.7	8.8	<0.5	<1	2.2E+03		
8	7.6	8.9	0.5	<1	7.9E+04		
9	7.6	9.3	<0.5	<1	1.1E+03		
10	7.7	9.2	<0.5	<1	1.4E+03		
11	7.5	10	0.5	<1	3.3E+02		
12	7.5	12	<0.5	<1	7.0E+01		
1	7.4	12	<0.5	<1	3.3E+01		
2	7.5	12	0.6	<1	7.9E+01		
3	7.6	12	0.6	<1	3.3E+01		
平均	7.6	10	0.5	1	7.2E+03		
75%値			0.5				

類型： A 測定点：EC-6(根笠橋)(005-04)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	11	<0.5	1	3.3E+02		
5	8.0	10	0.5	<1	3.3E+02		
6	7.6	9.8	0.5	1	2.4E+03		
7	7.7	8.9	0.5	<1	4.6E+03		
8	7.7	8.7	<0.5	1	3.3E+03		
9	7.8	9.5	<0.5	<1	3.3E+03		
10	7.9	9.2	<0.5	<1	1.7E+03		
11	7.7	11	0.6	<1	1.3E+03		
12	7.6	12	<0.5	<1	2.3E+02		
1	7.5	13	<0.5	<1	2.4E+02		
2	7.6	12	<0.5	<1	1.3E+02		
3	7.6	12	0.6	<1	1.7E+02		
平均	7.7	11	0.5	1	1.5E+03		
75%値			0.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

類型： A 測定点：EC-10(垂門橋)(005-51)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	11	<0.5	2	7.9E+02	0.48	0.022
5	7.6	10	0.6	1	1.7E+03		
6	7.6	9.8	<0.5	1	4.9E+03	0.31	0.014
7	7.6	8.5	0.5	<1	4.9E+04		
8	7.5	8.5	<0.5	1	3.3E+04	0.34	0.018
9	7.7	9.0	<0.5	<1	2.8E+03		
10	7.7	8.7	<0.5	1	1.1E+04	0.25	0.014
11	7.5	11	0.5	<1	3.3E+03		
12	7.4	12	0.5	<1	1.7E+02	0.33	0.004
1	7.4	12	<0.5	<1	3.3E+02		
2	7.4	12	0.6	<1	4.9E+02	0.31	0.005
3	7.5	12	0.5	<1	3.3E+02		
平均	7.5	10	0.5	1	9.0E+03	0.34	0.013
75%値			0.5				

類型： AA 測定点：EC-7(出市橋)(006-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	<0.5	<1	1.3E+02		
5	7.8	10	<0.5	<1	2.4E+02		
6	7.7	9.8	<0.5	<1	4.9E+02		
7	7.8	8.9	<0.5	<1	7.0E+03		
8	7.7	9.0	<0.5	<1	3.3E+03		
9	7.8	9.7	<0.5	<1	4.9E+03		
10	8.0	9.7	<0.5	<1	2.4E+03		
11	7.6	11	<0.5	<1	3.3E+02		
12	7.5	12	<0.5	<1	3.3E+01		
1	7.4	13	<0.5	1	3.3E+01		
2	7.5	12	<0.5	<1	4.9E+01		
3	7.4	13	<0.5	<1	7.9E+01		
平均	7.7	11	<0.5	1	1.6E+03		
75%値			<0.5				

類型： AA 測定点：EC-8(ふるえ橋)(006-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	11	<0.5	<1	3.3E+02		
5	7.7	10	<0.5	<1	4.9E+02		
6	7.6	9.9	<0.5	<1	7.9E+02		
7	7.8	9.0	<0.5	<1	3.3E+03		
8	7.6	8.9	<0.5	<1	1.1E+04		
9	7.8	9.7	<0.5	<1	1.3E+03		
10	8.0	9.7	<0.5	<1	2.8E+03		
11	7.5	11	0.5	<1	2.2E+02		
12	7.5	12	0.6	<1	1.1E+02		
1	7.4	13	0.7	<1	1.3E+02		
2	7.4	12	0.8	<1	4.9E+01		
3	7.3	13	<0.5	<1	2.3E+01		
平均	7.6	11	0.6	<1	1.7E+03		
75%値			0.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 由宇川水系

類型： A 測定点：PC-1(ひえだ堰)(041-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	0.6	2	3.3E+03	0.53	0.032
5	7.8	11	1.1	1	4.9E+03		
6	7.6	9.1	0.7	4	4.9E+04	0.61	0.065
7	7.6	8.9	<0.5	3	4.9E+04		
8	7.6	8.4	0.7	4	4.9E+04	0.41	0.054
9	7.6	9.0	<0.5	5	2.2E+04		
10	7.8	9.6	<0.5	1	7.0E+03	0.40	0.035
11	7.6	10	0.5	1	1.1E+04		
12	7.7	12	<0.5	1	7.0E+02	0.46	0.025
1	7.6	13	0.7	1	7.9E+02		
2	7.6	12	0.6	1	2.4E+03	0.64	0.029
3	7.6	12	0.8	1	3.3E+02		
平均	7.6	11	0.6	2	1.7E+04	0.51	0.040
75%値			0.7				

類型： A 測定点：PC-2(積善橋)(041-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	11	0.6	2	4.6E+03		
5	7.9	11	0.6	<1	7.0E+03		
6	7.7	9.5	0.6	2	3.3E+04		
7	7.7	8.8	<0.5	4	7.9E+04		
8	7.7	8.6	0.6	2	4.9E+04		
9	7.7	9.0	<0.5	5	4.9E+04		
10	7.9	9.4	<0.5	1	2.2E+04		
11	7.7	11	0.5	1	1.3E+04		
12	7.8	12	<0.5	1	4.9E+02		
1	8.3	14	0.8	<1	7.9E+02		
2	7.7	12	0.8	1	7.0E+02		
3	7.9	12	0.8	1	3.3E+02		
平均	7.8	11	0.6	2	2.2E+04		
75%値			0.6				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 柳井川水系

類型： B 測定点：NC-1(柳井大橋)(013-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.5	13	0.8	5	3.3E+03	0.54	0.054
5	8.7	12	1.1	14	3.3E+03		
6	7.7	9.0	1.2	26	3.3E+04	0.66	0.097
7	7.6	8.2	0.8	18	3.3E+04		
8	7.8	8.1	0.8	15	7.0E+04	0.57	0.094
9	7.6	8.1	0.5	7	3.3E+04		
10	8.0	9.3	0.6	13	1.4E+05	0.60	0.078
11	7.8	11	0.9	6	7.0E+03		
12	7.7	12	0.9	3	7.0E+02	0.48	0.044
1	8.3	12	1.2	2	7.9E+02		
2	7.9	12	1.1	2	4.9E+03	0.55	0.041
3	8.2	11	1.1	3	4.9E+02		
平均	8.0	10	0.9	10	2.7E+04	0.57	0.068
75%値			1.1				

類型： A 測定点：NC-2(元折橋)(014-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	11	1.1	2	4.9E+03		
5	8.3	13	1.3	4	4.9E+03		
6	7.4	9.0	1.1	7	4.9E+04		
7	7.4	8.4	0.9	15	4.9E+04		
8	7.4	8.0	1.0	7	2.4E+05		
9	7.4	8.7	0.6	11	3.3E+04		
10	7.6	9.0	0.5	6	7.9E+04		
11	7.5	10	1.1	3	1.7E+04		
12	7.5	11	1.5	3	9.4E+03		
1	7.6	13	1.8	3	1.4E+04		
2	7.5	12	1.4	2	9.4E+03		
3	7.0	12	1.4	3	7.0E+03		
平均	7.5	10	1.1	6	4.3E+04		
75%値			1.4				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 土穂石川水系

類型： B 測定点：NC-3(田布呂木橋)(017-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	10	1.9	8	3.3E+04	2.4	0.24
5	7.7	10	1.6	9	4.6E+04		
6	7.5	7.7	2.1	20	2.4E+05	2.1	0.31
7	7.3	6.9	1.6	11	2.4E+05		
8	7.4	6.4	1.2	14	3.3E+05	1.9	0.31
9	7.3	6.8	0.9	5	1.1E+05		
10	7.5	7.8	1.2	12	2.4E+05	2.1	0.34
11	7.4	9.9	2.3	4	1.1E+05		
12	7.4	11	2.1	3	3.3E+04	1.9	0.14
1	7.6	13	2.3	4	4.9E+04		
2	7.5	11	1.9	3	1.1E+04	1.9	0.14
3	7.4	10	2.3	2	7.0E+03		
平均	7.5	9.2	1.8	8	1.2E+05	2.1	0.25
75%値			2.1				

類型： A 測定点：NC-4(八幡橋)(018-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.2	8.3	2.8	7	1.3E+05		
5	7.2	5.8	2.5	5	3.3E+05		
6	7.1	5.3	3.3	10	1.3E+05		
7	7.3	6.9	1.5	7	1.7E+05		
8	7.2	5.2	1.9	8	1.7E+05		
9	7.2	7.4	1.6	11	1.7E+05		
10	7.3	6.3	3.1	14	2.8E+04		
11	7.4	9.6	1.7	4	3.3E+04		
12	7.1	11	1.4	5	1.1E+04		
1	7.3	12	2.9	5	4.9E+04		
2	7.3	11	1.6	3	7.9E+03		
3	7.3	10	3.1	4	1.3E+04		
平均	7.2	8.2	2.3	7	1.0E+05		
75%値			2.9				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 田布施川水系

類型： B 測定点：AC-1(八海橋)(019-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.3	12	0.7	6	1.7E+03	0.61	0.062
5	8.5	12	0.8	4	4.9E+02		
6	7.9	9.3	0.8	8	3.3E+04	0.75	0.11
7	7.6	8.2	0.7	8	4.9E+04		
8	8.6	10	0.9	14	7.0E+03	0.34	0.11
9	7.7	9.1	0.6	7	4.9E+04		
10	8.4	10	0.9	24	4.9E+03	0.55	0.11
11	8.4	12	0.7	10	2.4E+04		
12	7.8	12	0.7	24	4.6E+03	0.93	0.088
1	8.4	13	1.1	9	1.4E+02		
2	7.8	12	1.0	18	4.9E+03	0.89	0.065
3	7.9	11	2.1	7	1.7E+03		
平均	8.1	11	0.9	12	1.5E+04	0.68	0.091
75%値			0.9				

類型： A 測定点：AC-2(中央橋)(020-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	10	1.1	3	1.4E+04		
5	8.5	11	1.3	2	3.3E+03		
6	7.4	8.2	1.1	8	4.6E+04		
7	7.4	8.5	0.6	7	7.9E+04		
8	7.7	8.4	1.2	5	3.3E+04		
9	7.4	8.7	0.6	6	3.3E+04		
10	7.6	8.7	0.7	4	4.6E+03		
11	7.6	10	0.5	6	2.3E+03		
12	7.6	11	0.7	14	1.3E+04		
1	7.6	12	0.9	5	7.9E+03		
2	7.6	11	1.0	9	2.4E+03		
3	7.7	11	1.1	6	1.1E+03		
平均	7.7	9.9	0.9	6	2.0E+04		
75%値			1.1				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 光井川水系

類型： B 測定点：HC-1(鮎婦橋下流30m)(068-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	11	0.8	3	2.4E+03	0.63	0.041
5	7.8	9.9	0.7	2	1.1E+04		
6	7.8	9.5	0.7	4	1.7E+04	0.60	0.075
7	7.6	8.9	0.7	3	7.0E+04		
8	7.9	8.4	0.7	3	4.9E+04	0.40	0.057
9	7.6	8.5	<0.5	8	7.9E+04		
10	7.5	8.5	0.5	5	1.7E+04	0.43	0.052
11	7.6	10	0.8	3	1.1E+04		
12	7.6	11	1.0	1	3.3E+03	0.62	0.039
1	7.8	12	1.2	1	7.0E+02		
2	7.6	12	1.2	2	7.9E+02	0.79	0.041
3	7.7	12	1.2	3	1.3E+03		
平均	7.7	10	0.8	3	2.2E+04	0.58	0.051
75%値			1.0				

類型： A 測定点：HC-2(宮田橋上流300m)(069-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	10	0.7	2	4.9E+03		
5	7.6	8.7	0.8	3	3.3E+04		
6	7.5	8.5	0.8	5	1.7E+04		
7	7.4	8.2	0.7	5	1.3E+05		
8	7.1	6.9	0.5	2	3.3E+04		
9	7.4	8.3	0.5	12	3.3E+04		
10	7.5	8.1	0.5	8	3.3E+04		
11	7.5	10	0.6	5	7.9E+03		
12	7.5	11	0.6	3	1.7E+03		
1	7.8	12	0.9	3	1.7E+03		
2	7.6	12	0.9	1	7.0E+02		
3	7.5	11	1.3	2	4.9E+03		
平均	7.5	9.6	0.7	4	2.5E+04		
75%値			0.8				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 島田川水系

類型： A 測定点：GC-1(米川橋)(023-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.3	11	0.7	1	1.7E+03		
5	7.1	10	0.9	2	3.3E+04		
6	7.1	10	0.6	2	2.4E+04		
7	7.2	9.8	0.6	1	1.3E+05		
8	7.0	9.4	0.9	1	7.9E+04		
9	7.0	8.8	<0.5	2	2.4E+04		
10	7.2	10	0.8	2	3.3E+04		
11	7.1	11	0.6	6	7.9E+03		
12	7.2	12	0.8	1	1.7E+03		
1	7.2	12	1.1	1	3.3E+02		
2	7.1	12	0.8	<1	7.9E+03		
3	7.1	12	1.0	1	3.3E+04		
平均	7.1	11	0.8	2	3.1E+04		
75%値			0.9				

類型： A 測定点：GC-2(束荷川合流点下100m)(023-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	0.6	1	3.3E+02		
5	7.4	9.7	0.8	5	7.9E+03		
6	7.4	9.6	0.6	2	2.4E+04		
7	7.4	8.8	0.6	1	1.1E+05		
8	7.3	8.8	0.8	2	1.7E+04		
9	7.2	8.7	<0.5	4	1.7E+04		
10	7.6	10	0.6	1	3.3E+03		
11	7.5	11	<0.5	1	4.9E+03		
12	7.4	11	0.5	<1	2.4E+03		
1	7.5	12	0.8	<1	1.1E+03		
2	7.3	12	0.6	1	1.3E+03		
3	7.4	12	0.8	1	1.3E+03		
平均	7.4	10	0.6	2	1.6E+04		
75%値			0.8				

類型： A 測定点：GC-3(千歳小橋)(023-03)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	0.7	4	1.1E+06	0.51	0.029
5	7.5	9.4	0.7	4	7.0E+03		
6	7.5	9.4	0.6	4	7.9E+03	0.56	0.050
7	7.4	8.4	0.5	2	1.7E+04		
8	7.6	9.2	0.9	6	1.1E+04	0.41	0.052
9	7.3	8.5	0.5	4	3.3E+04		
10	7.7	9.5	0.8	4	2.4E+04	0.51	0.042
11	7.6	11	0.6	1	4.9E+03		
12	7.5	12	0.6	1	1.3E+03	0.54	0.024
1	7.7	12	0.8	1	5.4E+04		
2	7.5	12	0.9	14	4.9E+02	0.71	0.052
3	7.6	12	1.0	1	3.3E+02		
平均	7.5	10	0.7	4	1.1E+05	0.54	0.042
75%値			0.8				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 切戸川水系

類型： B 測定点：QC-1(切戸大橋)(042-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	0.6	3	4.9E+03	0.68	0.031
5	7.7	9.5	0.7	9	3.3E+04		
6	7.9	10	0.5	2	3.3E+04	0.63	0.040
7	8.1	10	<0.5	2	3.3E+04		
8	7.8	9.3	0.8	4	3.3E+04	0.44	0.044
9	7.7	9.4	<0.5	3	3.3E+04		
10	8.0	10	0.6	3	3.3E+04	0.54	0.040
11	7.7	11	0.6	1	3.3E+03		
12	7.8	12	0.6	3	1.3E+03	0.62	0.031
1	7.9	13	1.0	3	4.9E+02		
2	7.7	10	0.8	7	1.4E+03	0.81	0.042
3	7.7	12	0.9	4	1.3E+03		
平均	7.8	11	0.7	4	1.8E+04	0.62	0.038
75%値			0.8				

類型： A 測定点：QC-2(下出合橋)(043-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	11	<0.5	1	7.9E+03		
5	7.9	10	<0.5	1	2.4E+04		
6	8.0	10	<0.5	1	1.7E+04		
7	8.1	9.6	0.5	2	4.6E+04		
8	7.9	9.1	0.7	1	4.9E+04		
9	7.8	9.2	<0.5	3	1.7E+05		
10	8.0	9.7	<0.5	1	3.3E+04		
11	7.8	10	0.5	<1	2.4E+04		
12	7.9	12	0.6	<1	1.3E+03		
1	7.9	12	0.8	1	1.1E+03		
2	7.7	10	0.9	<1	3.3E+03		
3	8.1	13	0.9	<1	3.3E+03		
平均	7.9	10	0.6	1	3.2E+04		
75%値			0.7				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 平田川水系

類型： A 測定点：GC-4(平田橋中央)(025-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	11	0.9	2	7.9E+03		
5	7.7	9.8	0.9	7	3.3E+04		
6	7.6	9.4	0.8	2	7.0E+04		
7	7.4	8.6	0.7	3	4.9E+04		
8	7.5	8.6	0.6	2	1.1E+05		
9	7.4	8.7	0.6	1	4.9E+04		
10	7.4	8.5	0.8	2	7.9E+04		
11	7.6	10	0.7	1	4.9E+03		
12	7.7	11	1.0	3	1.3E+04		
1	7.8	13	1.7	1	1.4E+04		
2	7.6	10	1.9	3	2.2E+03		
3	8.1	11	2.1	8	4.9E+03		
平均	7.6	10	1.1	3	3.6E+04		
75%値			1.0				

類型： B 測定点：GC-5(平田橋188号線)(024-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	10	0.8	3	3.3E+03	1.1	0.057
5	7.9	10	0.9	8	1.4E+05		
6	7.9	10	0.8	2	7.9E+04	0.84	0.060
7	7.7	8.8	0.6	2	1.3E+05		
8	7.8	9.5	0.5	2	1.4E+05	0.95	0.070
9	7.6	9.4	<0.5	2	4.6E+04		
10	7.6	9.0	0.8	4	4.9E+04	0.86	0.061
11	7.8	11	0.5	1	1.3E+04		
12	7.7	11	1.0	6	7.9E+03	1.0	0.066
1	7.9	12	1.6	2	2.2E+03		
2	7.5	9.1	1.9	5	4.9E+03	1.3	0.072
3	8.3	10	2.9	20	1.7E+04		
平均	7.8	10	1.1	5	5.3E+04	1.0	0.064
75%値			1.0				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 末武川水系

類型： A 測定点：GC-6(月見橋)(026-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	11	<0.5	2	4.9E+02		
5	7.7	10	<0.5	4	7.9E+02		
6	7.8	9.9	<0.5	2	2.4E+03		
7	7.8	9.0	1.1	4	2.4E+03		
8	7.7	9.3	<0.5	3	1.3E+04		
9	7.7	9.0	<0.5	3	4.6E+03		
10	7.7	8.9	<0.5	2	4.6E+03		
11	7.8	10	0.6	1	7.9E+03		
12	7.7	11	0.5	1	4.9E+02		
1	7.8	12	1.0	<1	4.9E+01		
2	7.8	12	0.7	1	3.3E+02		
3	7.9	12	1.2	1	1.1E+03		
平均	7.8	10	0.7	2	3.2E+03		
75%値			0.7				

類型： A 測定点：GC-7(荒神大橋)(026-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	7.5	2.7	2	1.1E+07	0.78	0.050
5	7.3	5.5	1.9	<1	1.7E+06		
6	7.3	6.4	1.7	5	3.3E+06	0.94	0.068
7	7.6	9.7	1.2	2	4.9E+05		
8	7.4	8.6	0.9	1	2.4E+06	0.67	0.038
9	7.5	8.9	1.0	1	3.3E+06		
10	7.0	2.9	1.2	<1	1.3E+06	0.83	0.056
11	7.3	6.6	1.4	1	1.3E+06		
12	7.3	8.2	4.5	10	7.0E+06	1.0	0.077
1	7.3	2.7	7.7	6	1.7E+06		
2	7.2	4.6	5.0	3	1.7E+06	1.2	0.10
3	7.4	8.3	3.9	6	1.3E+07		
平均	7.3	6.7	2.8	3	4.0E+06	0.90	0.065
75%値			3.9				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 富田川水系

類型： A 測定点：GC-8(横矢堰)(028-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	10	1.4	4	1.7E+03		
5	7.7	9.5	1.0	4	3.3E+03		
6	7.7	9.5	0.5	3	1.7E+04		
7	7.7	9.8	1.1	2	4.9E+03		
8	8.3	8.1	1.2	4	7.0E+04		
9	7.7	8.5	0.6	1	7.0E+03		
10	7.8	8.8	1.2	2	4.9E+04		
11	7.7	9.7	0.6	1	4.9E+03		
12	7.8	11	0.5	<1	7.0E+02		
1	7.7	11	1.2	<1	4.9E+01		
2	7.6	11	1.4	3	4.9E+02		
3	7.7	11	1.3	2	3.3E+02		
平均	7.8	9.8	1.0	2	1.3E+04		
75%値			1.2				

類型： B 測定点：GC-9(新開橋)(027-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	11	0.7	5	7.9E+02	0.69	0.028
5	7.7	9.8	0.8	6	1.4E+03		
6	7.5	9.6	0.5	5	1.4E+04	0.59	0.040
7	7.8	9.9	0.6	2	1.3E+04		
8	7.8	8.6	0.7	5	7.0E+03	0.57	0.054
9	7.7	9.4	0.5	2	7.9E+04		
10	7.4	8.5	<0.5	2	2.2E+04	0.49	0.041
11	7.8	10	0.5	2	3.3E+03		
12	7.7	12	<0.5	2	2.3E+02	0.59	0.025
1	7.7	12	1.2	2	1.3E+02		
2	7.6	10	0.8	7	7.9E+02	0.72	0.037
3	7.9	12	1.1	10	3.3E+02		
平均	7.7	10	0.7	4	1.2E+04	0.61	0.038
75%値			0.8				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 夜市川水系

類型： A 測定点：GC-10(湯野国際観光ホテル前の井堰)(030-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	11	<0.5	2	1.3E+03		
5	7.4	9.6	<0.5	2	2.4E+04		
6	7.5	9.8	<0.5	1	1.3E+04		
7	7.4	9.1	<0.5	5	3.3E+04		
8	7.4	8.8	<0.5	2	7.9E+04		
9	7.4	9.0	<0.5	3	4.9E+04		
10	7.5	9.3	<0.5	2	2.2E+04		
11	7.6	11	0.5	<1	7.9E+03		
12	7.4	12	<0.5	<1	3.3E+03		
1	7.7	13	1.0	<1	4.9E+03		
2	7.3	10	0.6	1	2.4E+03		
3	7.4	11	0.9	<1	1.3E+03		
平均	7.5	10	0.6	2	2.0E+04		
75%値			0.5				

類型： B 測定点：GC-11(常盤橋)(029-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.2	10	<0.5	3	2.4E+03	0.55	0.023
5	7.1	8.5	0.6	3	7.9E+03		
6	7.4	10	<0.5	1	4.6E+03	0.57	0.039
7	7.3	9.1	<0.5	2	1.1E+05		
8	7.3	8.0	<0.5	1	2.2E+04	0.52	0.050
9	7.3	9.0	<0.5	1	4.9E+04		
10	7.3	9.2	<0.5	1	4.9E+03	0.36	0.028
11	7.3	10	<0.5	2	3.3E+03		
12	7.2	11	0.5	1	1.7E+03	0.49	0.022
1	7.5	11	1.1	1	1.7E+03		
2	7.2	9.8	0.7	2	1.1E+03	0.67	0.026
3	7.3	11	0.9	2	4.9E+02		
平均	7.3	9.7	0.6	2	1.7E+04	0.53	0.031
75%値			0.6				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 佐波川水系

類型： B 測定点：NC-1(佐波川大橋)(007-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
6	7.8	8.6	0.6	5	3.3E+03	0.65	0.043
7	7.5	10	<0.5	2	4.9E+03	0.52	0.022
8	7.8	8.0	0.8	3	1.1E+03	0.53	0.035
9	7.2	8.3	0.8	2	1.1E+03	0.57	0.018
10	7.8	8.5	0.8	3	1.7E+03	0.51	0.026
11	7.8	9.8	0.8	2	1.7E+03	0.62	0.025
12	7.4	11	0.6	1	4.9E+02	0.53	0.018
1	7.6	13	<0.5	1	1.3E+03	0.51	0.009
2	7.2	10	0.7	3	3.5E+03	0.67	0.008
3	7.8	12	0.8	2	1.1E+01	0.58	0.015
平均	7.6	9.9	0.7	2	1.9E+03	0.57	0.022
75%値			0.8				

類型： A 測定点：NC-2(新橋)(008-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
6	7.4	9.1	0.6	2	1.5E+04	0.54	0.025
7	7.1	9.4	<0.5	2	1.1E+04	0.48	0.019
8	7.4	7.6	0.6	2	3.2E+03	0.45	0.017
9	7.2	8.2	0.7	1	4.5E+03	0.53	0.015
10	7.4	8.4	0.7	1	1.5E+03	0.38	0.012
11	7.4	9.5	0.6	<1	7.9E+02	0.48	0.010
12	7.5	11	<0.5	2	1.2E+03	0.44	0.009
1	7.4	12	<0.5	6	6.5E+02	0.51	0.007
2	7.4	10	0.8	4	6.8E+02	0.58	0.012
3	7.4	11	0.7	1	1.8E+02	0.58	0.009
平均	7.4	9.6	0.6	2	3.9E+03	0.50	0.014
75%値			0.7				

類型： A 測定点：NC-3(漆尾)(008-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
6	7.7	9.8	<0.5	1	1.3E+04	0.51	0.022
7	7.3	9.9	<0.5	1	4.9E+03	0.52	0.015
8	7.5	8.4	<0.5	1	7.9E+03	0.36	0.018
9	7.3	9.0	<0.5	1	1.7E+03	0.49	0.016
10	7.5	9.3	0.7	1	2.8E+03	0.40	0.013
11	7.4	10	0.6	<1	1.7E+03	0.54	0.018
12	7.4	11	<0.5	<1	7.9E+02	0.50	0.010
1	7.5	12	<0.5	1	7.9E+02	0.55	0.008
2	7.4	11	0.5	1	7.0E+02	0.62	0.006
3	7.5	12	0.7	<1	1.3E+02	0.56	0.008
平均	7.5	10	0.6	1	3.4E+03	0.51	0.013
75%値			0.6				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 榎野川水系

類型： B 測定点：YC-1(百間橋)(011-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	9.4	2.4	38	3.3E+03	2.2	0.25
5	7.6	9.4	5.4	23	7.0E+03		
6	7.7	8.8	0.9	20	3.3E+04	1.0	0.14
7	7.5	9.0	0.6	5	3.3E+04		
8	7.7	8.5	1.9	12	4.9E+03	1.4	0.18
9	7.6	9.4	0.5	4	2.4E+04		
10	7.7	8.9	1.0	21	1.3E+04	1.7	0.24
11	7.6	9.7	1.0	10	2.4E+03		
12	7.6	11	0.7	5	1.7E+03	2.4	0.17
1	7.5	12	2.3	6	3.3E+02		
2	7.8	13	2.3	4	2.4E+02	1.5	0.090
3	7.6	12	1.2	6	2.8E+02		
平均	7.6	10	1.7	13	1.0E+04	1.7	0.18
75%値			2.3				

類型： A 測定点：YC-2(平野)(012-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	9.9	0.8	6	3.3E+03		
5	8.0	11	1.0	6	1.3E+04		
6	7.5	9.2	0.6	6	3.3E+04		
7	7.4	8.7	0.6	3	3.3E+04		
8	7.5	8.5	1.1	2	2.3E+04		
9	7.6	9.0	<0.5	2	2.4E+04		
10	7.6	9.1	<0.5	3	9.4E+03		
11	7.9	11	<0.5	1	4.9E+03		
12	7.7	12	0.5	1	4.9E+02		
1	7.6	12	0.9	2	4.9E+02		
2	7.7	13	1.1	4	1.3E+03		
3	7.6	12	1.1	3	1.3E+03		
平均	7.6	10	0.8	3	1.2E+04		
75%値			1.0				

類型： A 測定点：YC-3(文場橋)(012-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	9.2	0.7	6	3.3E+03		
5	7.6	10	0.6	2	2.4E+03		
6	7.4	9.1	0.5	3	4.9E+04		
7	7.4	8.8	0.6	2	3.3E+04		
8	7.3	7.3	0.9	1	1.1E+04		
9	7.7	10	<0.5	1	7.0E+03		
10	7.4	8.0	<0.5	1	3.3E+04		
11	7.5	10	<0.5	<1	7.9E+03		
12	7.3	10	<0.5	<1	2.4E+03		
1	7.4	11	0.9	1	2.4E+02		
2	7.9	13	1.0	1	1.3E+03		
3	7.5	11	0.8	2	7.0E+02		
平均	7.5	9.8	0.7	2	1.3E+04		
75%値			0.8				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 南若川水系

類型： A 測定点：JC-1(金毛川合流点下250m)(058-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	11	0.8	3	9.4E+02		
5	9.0	11	0.9	2	2.8E+03		
6	7.1	6.1	1.1	14	1.7E+05		
7	7.3	7.5	0.8	4	2.4E+05		
8	7.2	6.1	1.3	2	1.7E+04		
9	7.5	8.8	0.8	3	1.7E+04		
10	7.3	6.0	<0.5	2	1.1E+04		
11	7.8	10	0.5	1	4.9E+04		
12	8.0	11	<0.5	<1	4.9E+03		
1	7.9	13	1.1	1	4.9E+02		
2	8.2	13	1.5	4	3.3E+02		
3	7.8	12	1.0	4	7.9E+02		
平均	7.8	9.6	0.9	3	4.3E+04		
75%値			1.1				

類型： B 測定点：JC-2(新栄橋)(057-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	9.6	1.0	34	1.1E+03	0.80	0.15
5	7.8	11	2.5	20	7.9E+02		
6	7.1	5.9	0.9	25	3.3E+04	0.91	0.23
7	7.4	8.1	0.8	9	4.9E+04		
8	7.4	7.6	1.4	29	4.9E+03	0.57	0.17
9	7.4	8.5	0.7	15	7.9E+03		
10	7.5	8.4	0.7	31	1.3E+03	0.63	0.17
11	7.6	10	0.7	24	3.3E+04		
12	8.1	12	1.0	24	2.4E+03	1.1	0.10
1	7.9	15	1.9	8	1.7E+02		
2	8.5	15	2.4	19	4.9E+02	0.94	0.082
3	8.6	14	1.3	6	1.3E+03		
平均	7.8	10	1.3	20	1.1E+04	0.83	0.15
75%値			1.4				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 厚東川水系

類型： A 測定点：UC-1(厚東川ダム下)(001-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.2	12	0.7	1	9.4E+02		
5	8.9	14	0.7	2	4.9E+02		
6	7.6	7.0	0.9	4	7.9E+03		
7	8.1	11	0.7	2	1.3E+04		
8	7.8	8.8	1.1	2	3.3E+04		
9	8.2	10	0.5	2	7.9E+02		
10	7.8	8.9	0.8	2	4.9E+03		
11	8.1	11	1.0	9	7.9E+02		
12	8.2	12	<0.5	3	7.9E+02		
1	8.1	12	1.3	2	1.1E+02		
2	8.0	12	1.0	2	3.3E+01		
3	8.1	12	1.3	2	4.9E+01		
平均	8.1	11	0.9	3	5.2E+03		
75%値			1.0				

類型： A 測定点：UC-2(末信橋)(001-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	10	1.2	4	4.9E+02		
5	7.8	9.4	0.7	1	3.3E+02		
6	7.6	8.0	0.7	3	1.1E+04		
7	8.0	9.0	1.2	2	4.9E+03		
8	8.1	8.9	1.3	1	1.1E+03		
9	8.3	9.9	1.0	1	4.9E+02		
10	7.9	9.3	0.8	1	7.9E+02		
11	8.0	10	0.6	2	4.9E+03		
12	8.1	11	0.8	1	1.1E+02		
1	8.0	12	1.2	1	3.3E+02		
2	8.0	12	1.2	1	7.9E+01		
3	8.0	11	1.3	2	4.9E+01		
平均	8.0	10	1.0	2	2.0E+03		
75%値			1.2				

類型： B 測定点：UC-3(厚東川大橋)(002-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.0	9.3	1.6	23	3.3E+02	0.70	0.070
5	7.9	8.6	0.9	15	3.3E+02		
6	7.8	8.1	0.6	28	1.3E+04	0.75	0.081
7	8.0	9.0	0.9	14	7.0E+02		
8	7.9	7.1	1.6	24	2.3E+02	0.41	0.076
9	7.9	7.5	1.0	18	4.9E+02		
10	7.9	7.4	0.9	8	4.9E+02	0.66	0.074
11	8.0	9.7	0.5	5	1.1E+03		
12	8.1	9.7	0.7	5	4.9E+01	0.63	0.044
1	8.2	12	1.1	2	1.3E+02		
2	8.3	12	1.4	9	2.2E+02	0.63	0.027
3	8.1	12	1.4	7	4.9E+01		
平均	8.0	9.4	1.1	13	1.4E+03	0.63	0.062
75%値			1.4				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 厚東川水系

類型： A 測定点：UC-6(吉野橋)(064-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.4	10	0.6	1	7.9E+02	0.67	0.015
5	8.3	9.6	0.6	2	4.9E+03		
6	8.2	9.1	0.5	4	1.7E+04	0.73	0.026
7	8.2	8.7	0.5	3	1.1E+04		
8	8.2	8.3	0.6	2	3.3E+04	0.27	0.022
9	8.2	8.8	0.5	<1	7.9E+03		
10	8.1	10	<0.5	1	3.3E+04	1.1	0.022
11	8.2	10	<0.5	<1	4.9E+03		
12	8.4	11	<0.5	<1	3.3E+02	0.65	0.006
1	8.1	11	0.8	1	7.9E+02		
2	8.2	11	0.8	1	3.3E+02	0.69	0.009
3	8.1	11	1.0	2	3.3E+02		
平均	8.2	9.9	0.6	2	9.5E+03	0.69	0.017
75%値			0.6				

類型： A 測定点：UC-7(宇内橋)(065-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.0	10	0.6	2	1.7E+03	0.49	0.029
5	7.8	9.5	0.8	3	4.9E+03		
6	7.9	9.6	0.6	2	1.7E+04	0.57	0.045
7	8.0	8.8	0.6	3	1.7E+04		
8	8.0	8.7	0.6	1	3.3E+04	0.37	0.040
9	7.8	8.9	<0.5	<1	7.0E+03		
10	7.8	10	0.6	1	3.3E+04	0.76	0.040
11	7.8	11	<0.5	1	4.9E+03		
12	8.0	12	0.6	<1	1.1E+03	0.59	0.016
1	7.7	13	0.5	1	7.0E+02		
2	7.8	12	0.9	2	2.2E+03	0.52	0.020
3	7.7	12	1.1	2	3.3E+02		
平均	7.9	10	0.7	2	1.0E+04	0.55	0.032
75%値			0.6				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 有帆川水系

類型： A 測定点：KC-1(下田橋)(032-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.3	11	1.1	5	4.9E+02		
5	7.8	9.6	1.0	4	7.9E+03		
6	7.6	8.7	0.8	4	1.1E+04		
7	7.5	8.0	0.9	2	1.7E+04		
8	7.9	9.2	1.3	1	2.4E+04		
9	7.6	7.9	0.6	1	7.0E+03		
10	8.5	12	0.6	2	1.3E+04		
11	8.1	12	0.7	2	7.9E+03		
12	8.3	13	0.8	2	4.9E+02		
1	8.1	14	1.2	1	4.9E+04		
2	7.9	13	1.0	2	4.9E+01		
3	7.8	12	2.3	8	2.4E+03		
平均	8.0	11	1.0	3	1.2E+04		
75%値			1.1				

類型： B 測定点：KC-2(小野田橋)(031-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.1	11	0.6	12	3.5E+03	0.54	0.039
5	7.9	9.3	0.7	18	3.3E+02		
6	7.5	6.7	<0.5	14	4.9E+03	0.78	0.061
7	7.3	5.6	<0.5	14	3.3E+03		
8	7.6	6.1	0.8	28	7.9E+02	0.51	0.10
9	7.5	6.6	0.6	12	2.2E+02		
10	7.7	6.6	0.6	13	2.4E+03	0.58	0.066
11	7.4	8.9	<0.5	7	4.9E+03		
12	7.5	9.6	0.5	16	1.1E+03	0.69	0.042
1	7.9	11	0.9	4	7.9E+02		
2	7.8	11	1.8	6	1.3E+05	1.0	0.024
3	7.7	9.8	2.5	8	1.3E+05		
平均	7.7	8.5	0.9	13	2.4E+04	0.68	0.055
75%値			0.8				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 厚狭川水系

類型： A 測定点：KC-3(祖父瀬橋)(034-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.2	10	0.6	3	7.9E+02		
5	8.1	9.8	0.7	2	4.9E+03		
6	8.2	9.8	<0.5	3	3.3E+04		
7	8.3	9.7	0.5	2	4.9E+04		
8	8.5	12	0.8	1	3.3E+04		
9	8.1	8.9	<0.5	1	4.9E+03		
10	8.2	10	0.5	2	3.3E+04		
11	8.1	10	<0.5	1	4.9E+03		
12	8.2	12	<0.5	1	4.9E+02		
1	8.1	12	1.1	1	4.9E+02		
2	8.1	12	0.8	2	3.3E+02		
3	8.2	11	1.1	4	3.3E+02		
平均	8.2	11	0.7	2	1.4E+04		
75%値			0.8				

類型： A 測定点：KC-4(湯峠橋)(034-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.3	10	0.7	3	9.4E+02		
5	8.4	10	0.6	2	2.4E+03		
6	8.4	9.7	<0.5	2	2.2E+04		
7	8.4	8.9	0.5	2	1.7E+04		
8	8.6	8.8	0.7	1	3.3E+04		
9	8.2	9.2	<0.5	<1	3.5E+03		
10	8.1	10	<0.5	2	3.3E+04		
11	8.1	11	<0.5	1	4.6E+03		
12	8.1	12	<0.5	1	1.3E+03		
1	8.2	13	0.8	1	7.0E+02		
2	8.3	13	0.7	1	4.9E+02		
3	8.2	12	1.3	2	7.0E+02		
平均	8.3	11	0.7	2	10E+03		
75%値			0.7				

類型： B 測定点：KC-5(渡場大橋)(033-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	8.7	0.7	9	1.1E+04	0.65	0.046
5	7.8	7.4	0.8	9	1.3E+04		
6	7.5	8.2	1.0	16	3.3E+04	0.80	0.11
7	7.9	8.1	0.7	2	7.0E+04		
8	7.7	7.4	0.8	2	1.3E+04	0.27	0.051
9	7.8	7.5	0.5	1	7.9E+04		
10	7.6	9.0	0.8	4	3.3E+04	0.90	0.067
11	7.8	10	<0.5	1	1.7E+04		
12	7.8	11	0.6	2	4.9E+03	0.70	0.035
1	8.1	12	0.8	2	3.3E+03		
2	7.9	11	0.8	1	3.3E+02	0.58	0.024
3	7.8	11	1.1	3	3.3E+02		
平均	7.8	9.3	0.8	4	2.3E+04	0.65	0.056
75%値			0.8				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 真締川水系

類型： B 測定点：RC-4(錦橋)(044-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	7.7	0.6	6	4.9E+03	0.57	0.043
5	7.8	10	0.7	9	2.4E+04		
6	7.8	9.2	0.6	11	3.3E+04	0.80	0.077
7	7.6	7.5	0.8	18	4.9E+04		
8	7.7	7.4	0.6	12	2.8E+04	0.66	0.089
9	7.6	8.3	0.7	12	2.8E+04		
10	7.8	8.8	0.6	9	1.3E+04	0.56	0.063
11	7.7	10	0.5	7	2.4E+04		
12	7.7	9.5	0.7	6	7.9E+02	0.46	0.037
1	7.8	11	1.0	3	9.4E+02		
2	7.8	12	1.1	4	7.0E+02	0.50	0.032
3	7.8	12	1.2	4	2.3E+02		
平均	7.7	9.5	0.8	8	1.7E+04	0.59	0.057
75%値			0.8				

類型： A 測定点：RC-5(新橋)(045-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	9.2	1.2	8	1.3E+04		
5	7.9	9.2	0.8	7	1.1E+04		
6	7.9	8.8	1.3	14	1.3E+05		
7	7.8	8.0	1.3	13	7.9E+04		
8	7.8	7.2	0.8	8	2.2E+04		
9	7.9	8.4	0.9	10	1.4E+04		
10	7.9	9.3	0.7	8	3.3E+04		
11	7.9	10	0.8	6	4.9E+03		
12	7.9	11	0.9	4	7.9E+02		
1	8.0	13	1.1	2	2.2E+03		
2	7.7	11	1.0	4	1.3E+03		
3	7.8	11	1.5	4	4.9E+02		
平均	7.9	9.7	1.0	7	2.6E+04		
75%値			1.2				

類型： B 測定点：RC-6(琴芝橋)(044-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.2	7.7	0.7	3	1.7E+03		
5	7.3	10	0.9	2	3.3E+04		
6	7.3	8.2	0.8	4	7.0E+04		
7	7.3	7.2	1.3	17	1.3E+05		
8	7.4	8.0	0.6	4	7.9E+04		
9	7.1	8.0	0.6	9	1.4E+04		
10	7.2	9.3	<0.5	1	1.7E+04		
11	7.2	10	1.0	7	2.2E+04		
12	7.2	10	1.3	19	4.9E+03		
1	7.1	11	1.0	4	4.9E+03		
2	7.2	11	1.1	16	4.9E+02		
3	7.3	11	1.2	4	2.4E+03		
平均	7.2	9.3	0.9	8	3.2E+04		
75%値			1.1				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 木屋川水系

類型： B 測定点：SC-1(豊厚橋)(009-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	10	0.8	11	7.9E+02	0.63	0.040
5	7.9	10	0.9	19	1.4E+02		
6	7.4	5.8	1.3	21	2.4E+03	0.89	0.10
7	7.4	8.1	0.8	5	4.9E+03		
8	7.6	6.7	1.2	19	2.2E+03	0.74	0.096
9	7.9	8.4	0.6	17	7.0E+02		
10	7.6	6.9	1.4	18	1.1E+03	0.81	0.078
11	7.6	9.7	<0.5	9	7.9E+03		
12	7.5	10	0.7	5	3.5E+03	0.87	0.043
1	8.1	12	<0.5	8	1.1E+02		
2	8.1	13	0.7	13	2.2E+02	0.71	0.037
3	8.1	12	0.7	26	4.9E+02		
平均	7.8	9.4	0.8	14	2.0E+03	0.78	0.066
75%値			0.9				

類型： A 測定点：SC-2(豊東橋)(010-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.1	12	1.1	3	2.3E+02	0.59	0.032
5	8.4	12	1.1	2	1.1E+03	0.41	0.037
6	7.4	9.4	1.2	3	1.3E+04	0.63	0.072
7	7.7	9.9	1.2	3	3.5E+04	0.70	0.064
8	8.6	10	1.3	3	3.5E+04	0.49	0.082
9	8.0	10	1.0	1	1.3E+04	0.75	0.051
10	8.0	10	1.2	1	1.1E+04	0.64	0.052
11	7.6	11	<0.5	1	2.2E+03	0.87	0.052
12	7.5	11	1.1	3	5.4E+03	0.81	0.033
1	8.0	14	<0.5	3	3.3E+02	0.73	0.026
2	8.0	13	0.8	2	4.9E+01	0.56	0.016
3	7.8	12	0.9	7	2.3E+02	0.72	0.026
平均	7.9	11	1.0	3	9.7E+03	0.66	0.045
75%値			1.2				

類型： A 測定点：SC-3(鳴瀬橋)(010-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	12	0.9	2	1.3E+03	0.45	0.024
5	8.4	13	1.1	2	3.5E+03	0.48	0.038
6	7.6	9.9	1.1	3	2.2E+04	0.55	0.052
7	7.7	9.7	1.0	3	2.4E+04	0.54	0.048
8	7.8	10	1.1	8	5.4E+04	0.56	0.051
9	8.0	10	0.8	<1	1.1E+04	0.38	0.027
10	8.2	10	0.9	1	7.9E+03	0.46	0.028
11	7.7	11	0.5	<1	2.2E+03	0.42	0.023
12	7.5	11	0.9	2	2.2E+03	0.54	0.027
1	7.9	13	<0.5	2	7.9E+02	0.57	0.019
2	7.9	13	0.9	2	4.9E+01	0.50	0.015
3	7.9	12	0.8	2	2.2E+02	0.52	0.012
平均	7.9	11	0.9	2	1.1E+04	0.50	0.030
75%値			1.0				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

類型： A 測定点：SC-4(吉田堰)(010-51)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.0	11	1.3	2	3.3E+02		
5	8.2	11	2.0	3	5.4E+03		
6	7.6	9.6	1.8	3	1.7E+04		
7	7.2	7.8	1.3	4	3.5E+04		
8	8.6	12	3.5	3	1.3E+04		
9	7.9	10	2.1	2	4.9E+03		
10	7.6	8.9	1.3	2	7.9E+03		
11	7.5	10	<0.5	1	2.2E+03		
12	7.5	11	1.2	3	5.4E+03		
1	7.8	13	<0.5	2	4.9E+02		
2	7.7	13	0.7	1	2.3E+02		
3	7.9	12	0.9	3	2.3E+02		
平均	7.8	11	1.4	2	7.7E+03		
75%値			1.8				

類型： A 測定点：SC-5(西山橋)(010-52)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	0.5	<1	3.3E+02	0.58	0.021
5	9.2	11	0.9	2	7.0E+03		
6	8.0	9.4	0.7	4	4.9E+04	0.53	0.061
7	8.0	9.6	0.5	1	7.9E+04		
8	8.8	9.3	0.7	1	7.9E+03	0.36	0.043
9	7.6	9.1	<0.5	1	7.9E+03		
10	7.8	10	<0.5	<1	1.3E+04	0.44	0.025
11	8.1	12	0.6	<1	7.9E+02		
12	7.7	12	<0.5	<1	4.9E+02	0.53	0.019
1	8.0	12	0.7	<1	1.3E+02		
2	7.6	12	<0.5	1	2.4E+02	0.62	0.019
3	8.0	13	<0.5	<1	4.9E+01		
平均	8.0	11	0.6	1	1.4E+04	0.51	0.031
75%値			0.7				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 友田川水系

類型： B 測定点：ZC-1(安永橋)(049-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	5.9	2.2	5	4.9E+03	1.1	0.13
5	7.8	6.2	3.2	16	2.3E+02		
6	7.7	5.6	1.8	6	4.9E+03	1.6	0.22
7	7.7	5.2	1.0	13	4.9E+03		
8	7.9	6.8	4.0	10	1.3E+05	1.2	0.27
9	7.8	6.2	1.7	2	7.9E+02		
10	7.8	4.9	1.8	7	3.3E+03	1.8	0.14
11	7.8	6.3	1.8	4	7.9E+03		
12	7.9	7.5	0.9	8	1.3E+04	1.2	0.079
1	7.6	10	1.0	3	4.6E+03		
2	7.7	10	1.8	2	2.3E+04	1.4	0.080
3	7.9	9.3	1.0	2	4.9E+02		
平均	7.8	7.0	1.9	7	1.7E+04	1.4	0.15
75%値			1.8				

類型： A 測定点：ZC-2(胡麻多橋)(050-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	10	1.5	3	7.9E+02		
5	8.1	9.8	0.7	1	2.3E+03		
6	7.5	8.4	2.0	20	2.2E+04		
7	7.7	8.1	0.8	2	4.5E+02		
8	7.6	7.2	4.0	6	7.0E+04		
9	7.6	7.9	0.5	4	1.1E+02		
10	7.8	8.2	0.8	1	4.2E+03		
11	7.6	9.3	<0.5	1	4.9E+03		
12	7.9	11	0.7	<1	7.9E+03		
1	7.7	13	1.0	<1	2.3E+02		
2	7.7	12	0.8	<1	4.9E+02		
3	8.3	11	0.6	<1	1.0E+02		
平均	7.8	9.7	1.2	4	9.5E+03		
75%値			1.0				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 綾羅木川水系

類型： B 測定点：ZC-3(望洋橋)(047-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	6.9	1.5	4	7.9E+03	1.0	0.11
5	7.9	7.7	1.1	7	2.7E+01		
6	7.9	7.2	1.1	4	1.7E+02	1.2	0.11
7	7.7	7.4	1.0	6	2.2E+02		
8	7.7	6.7	1.7	1	1.7E+04	1.2	0.20
9	7.6	6.9	0.9	1	2.1E+02		
10	7.7	6.1	1.4	3	1.3E+03	1.2	0.10
11	7.8	8.2	0.7	1	7.9E+02		
12	7.6	8.4	0.9	6	4.9E+04	1.4	0.10
1	7.4	10	1.8	2	1.0E+03		
2	7.6	10	<0.5	3	1.3E+03	1.5	0.093
3	8.0	9.7	0.8	3	4.3E+02		
平均	7.7	7.9	1.1	3	6.6E+03	1.3	0.12
75%値			1.4				

類型： A 測定点：ZC-4(石原橋)(048-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.2	12	1.0	1	7.9E+02		
5	8.5	12	1.0	3	2.7E+03		
6	7.4	9.3	0.7	3	2.2E+03		
7	7.5	8.1	0.8	3	1.7E+03		
8	7.2	6.7	1.2	2	4.9E+03		
9	7.3	8.2	0.5	1	1.7E+01		
10	7.4	8.7	0.7	2	2.2E+03		
11	7.7	10	0.5	2	1.3E+03		
12	7.5	11	0.8	1	2.3E+03		
1	7.3	12	0.7	<1	3.3E+02		
2	7.4	12	1.0	<1	7.9E+02		
3	9.3	12	<0.5	<1	7.9E+02		
平均	7.7	10	0.8	2	1.7E+03		
75%値			1.0				

類型： A 測定点：ZC-7(観月橋)(048-51)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.3	8.7	1.6	2	4.9E+03		
5	7.9	10	0.7	4	1.4E+03		
6	7.8	9.5	1.3	8	1.0E+03		
7	7.5	8.5	1.1	5	1.7E+03		
8	7.2	6.9	2.4	1	2.2E+04		
9	7.5	9.0	1.1	1	2.1E+02		
10	7.9	9.6	1.2	4	1.3E+04		
11	7.7	9.5	0.6	2	1.3E+03		
12	7.4	10	1.3	<1	7.0E+03		
1	7.3	11	1.6	1	2.7E+03		
2	7.5	12	1.3	1	2.3E+03		
3	7.9	12	0.8	5	4.9E+03		
平均	7.6	9.7	1.3	3	5.2E+03		
75%値			1.3				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 武久川水系

類型： B 測定点：ZC-5(汐入橋)(046-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.1	10	1.9	4	1.4E+03	1.1	0.094
5	8.2	10	1.5	9	1.4E+02		
6	7.9	7.8	0.9	8	4.9E+02	1.2	0.12
7	7.8	6.6	1.6	7	1.2E+03		
8	7.8	6.0	1.3	2	1.0E+04	1.4	0.15
9	8.0	8.9	0.9	2	4.9E+03		
10	8.0	7.8	0.8	8	1.7E+03	1.6	0.14
11	8.1	8.9	<0.5	4	1.3E+03		
12	7.8	8.5	1.7	3	4.9E+03	1.9	0.11
1	7.8	11	1.0	<1	9.4E+03		
2	8.1	12	1.1	2	7.9E+02	2.0	0.081
3	8.6	14	0.8	6	3.3E+01		
平均	8.0	9.3	1.2	5	3.0E+03	1.5	0.12
75%値			1.5				

類型： B 測定点：ZC-6(生野橋)(046-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	9.6	1.9	2	1.7E+03		
5	8.2	10	2.7	1	7.9E+03		
6	8.2	9.0	1.9	<1	1.7E+03		
7	7.9	7.7	1.4	3	7.9E+03		
8	8.0	7.2	2.6	4	3.3E+03		
9	7.9	7.3	1.4	<1	1.7E+04		
10	8.0	7.8	2.3	1	7.0E+03		
11	7.9	9.0	0.8	1	1.7E+03		
12	7.9	9.8	1.0	<1	1.7E+04		
1	7.9	10	1.0	<1	4.9E+03		
2	7.9	12	2.4	<1	4.9E+02		
3	8.1	12	1.5	<1	2.2E+03		
平均	8.0	9.3	1.7	2	6.1E+03		
75%値			2.3				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 川棚川水系

類型： B 測定点：DC-1(下村大橋)(059-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	11	1.3	3	3.3E+02	0.62	0.034
5	8.0	10	0.7	1	3.4E+02		
6	7.3	8.4	1.2	4	4.9E+02	0.77	0.10
7	7.6	8.2	1.3	4	2.5E+02		
8	6.9	5.8	1.2	1	1.4E+03	0.21	0.092
9	7.2	8.5	0.8	1	1.7E+02		
10	7.4	9.2	0.6	1	1.7E+03	0.50	0.059
11	7.3	9.9	<0.5	1	1.4E+03		
12	7.2	11	0.7	<1	1.3E+03	0.64	0.032
1	7.2	11	0.9	<1	2.2E+02		
2	7.3	12	1.0	1	3.3E+02	0.75	0.046
3	7.4	12	<0.5	3	7.9E+02		
平均	7.4	9.8	0.9	2	7.3E+02	0.58	0.061
75%値			1.2				

類型： A 測定点：DC-2(上畔橋)(060-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	11	1.2	1	2.2E+02		
5	7.6	10	0.6	1	9.4E+02		
6	7.6	8.1	0.6	9	9.4E+02		
7	7.7	8.2	1.0	3	1.7E+03		
8	7.1	7.6	2.2	<1	4.2E+03		
9	7.1	8.4	0.6	1	2.2E+02		
10	7.4	8.5	<0.5	<1	4.9E+03		
11	7.4	9.6	<0.5	<1	1.7E+03		
12	7.2	11	0.6	<1	1.3E+03		
1	7.2	12	<0.5	<1	3.9E+01		
2	7.4	12	0.8	1	1.4E+02		
3	7.4	12	<0.5	1	2.3E+02		
平均	7.4	9.9	0.8	2	1.4E+03		
75%値			0.8				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 栗野川水系

類型： A 測定点：LC-5(郷の橋)(051-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	14	0.6	1	1.7E+03	0.55	0.028
6	7.7	8.2	0.5	1	2.7E+03	0.31	0.035
8	7.2	7.7	1.0	2	3.3E+03	0.58	0.056
10	7.6	7.9	0.5	2	2.3E+03	0.44	0.027
12	7.6	11	0.5	<1	4.9E+02	0.48	0.016
2	7.7	13	0.6	2	2.3E+02	0.60	0.021
平均	7.6	10	0.6	2	1.8E+03	0.49	0.031
75%値			0.6				

類型： A 測定点：LC-6(滑川との合流点)(051-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.1	12	0.8	6	2.2E+03		
6	8.1	9.8	1.8	2	1.7E+04		
8	8.1	8.9	1.1	1	3.3E+03		
10	8.1	9.9	0.9	1	1.1E+04		
12	7.8	12	0.7	1	1.7E+03		
2	7.6	12	0.5	<1	3.3E+02		
平均	8.0	11	1.0	2	5.9E+03		
75%値			1.1				

類型： A 測定点：LC-7(出合橋)(051-03)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.1	12	0.5	1	9.4E+02		
6	8.2	9.7	1.0	3	1.7E+04		
8	8.1	8.7	1.1	1	6.3E+03		
10	8.1	9.6	0.8	<1	1.4E+04		
12	7.8	11	0.8	1	7.9E+03		
2	7.5	13	<0.5	<1	4.9E+02		
平均	8.0	11	0.8	1	7.8E+03		
75%値			1.0				

類型： AA 測定点：LC-8(蓋之井川合流点2Km上流)(052-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	13	0.7	<1	3.3E+02		
6	7.7	9.1	0.8	<1	7.9E+03		
8	7.6	8.6	1.6	<1	4.9E+03		
10	7.8	8.8	0.5	<1	3.5E+04		
12	7.4	12	<0.5	<1	3.3E+02		
2	7.2	13	<0.5	<1	4.9E+01		
平均	7.5	11	0.8	<1	8.1E+03		
75%値			0.8				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 掛淵川水系

類型： A 測定点：LC-1(やなば橋) (053-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	10	0.6	3	1.1E+03	0.59	0.044
6	7.5	9.1	3.0	7	1.3E+05	0.70	0.10
8	7.3	6.3	1.1	3	1.7E+04	0.46	0.053
10	7.8	10	<0.5	1	4.9E+04	0.51	0.040
12	7.9	12	0.5	<1	3.3E+02	0.45	0.030
2	7.8	13	0.7	<1	3.3E+02	0.63	0.026
平均	7.7	10	1.1	3	3.3E+04	0.56	0.049
75%値			1.1				

類型： A 測定点：LC-2(滑橋下流30m) (053-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	10	<0.5	<1	7.9E+02		
6	6.9	8.3	0.6	1	3.3E+04		
8	6.7	7.2	0.5	<1	3.3E+04		
10	7.4	9.4	<0.5	<1	7.0E+03		
12	7.4	11	<0.5	<1	3.3E+02		
2	7.4	12	<0.5	<1	1.3E+02		
平均	7.2	9.7	0.5	1	1.2E+04		
75%値			0.5				

類型： A 測定点：LC-3(阿惣橋) (053-03)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.1	10	<0.5	<1	4.9E+02	0.48	0.004
6	6.9	7.8	0.6	<1	1.3E+04	0.31	0.006
8	7.2	10	0.7	<1	3.3E+03	0.25	0.006
10	7.2	9.1	<0.5	<1	2.4E+04	0.39	0.009
12	7.1	11	<0.5	<1	7.0E+02	0.42	0.004
2	7.3	12	<0.5	<1	1.3E+02	0.47	0.003
平均	7.1	10	0.6	<1	6.9E+03	0.39	0.005
75%値			0.6				

類型： A 測定点：LC-4(油谷碎石排水口下流50m) (053-04)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	10	<0.5	<1	1.3E+02		
6	7.6	8.3	1.3	1	7.9E+03		
8	7.8	8.2	1.1	1	2.2E+03		
10	7.8	9.4	<0.5	1	7.9E+03		
12	7.7	11	<0.5	1	1.7E+03		
2	7.6	12	<0.5	<1	3.3E+01		
平均	7.7	9.8	0.7	1	3.3E+03		
75%値			1.1				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 深川川水系

類型： A 測定点：FC-1(緑橋)(037-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	10	<0.5	2	7.9E+02	0.61	0.022
6	8.5	11	2.0	4	1.7E+03	0.59	0.059
8	8.0	11	1.9	1	4.9E+03	0.47	0.047
10	8.0	10	<0.5	<1	7.9E+03	0.52	0.026
12	7.4	11	<0.5	1	1.7E+03	0.59	0.022
2	7.5	12	<0.5	1	7.0E+02	0.78	0.020
平均	7.8	11	1.0	2	2.9E+03	0.59	0.033
75%値			1.9				

類型： A 測定点：FC-2(湯本の橋)(037-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.0	11	<0.5	<1	1.3E+03		
6	8.2	9.2	0.7	1	1.7E+04		
8	8.3	9.0	0.9	1	1.1E+04		
10	8.0	9.8	<0.5	<1	2.2E+04		
12	7.8	11	<0.5	<1	7.0E+02		
2	7.7	12	0.5	<1	1.7E+03		
平均	8.0	10	0.6	1	9.0E+03		
75%値			0.7				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 三隅川水系

類型： A 測定点：MC-1(琴橋)(061-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	10	<0.5	3	7.0E+02	0.59	0.021
6	7.5	8.4	0.9	3	4.9E+03	0.47	0.046
8	7.6	8.2	0.9	4	1.1E+03	0.47	0.036
10	7.6	9.0	<0.5	3	2.4E+04	0.58	0.027
12	7.5	10	<0.5	2	1.3E+03	0.67	0.022
2	7.5	11	0.6	1	4.9E+02	0.77	0.018
平均	7.5	9.4	0.7	3	5.4E+03	0.59	0.028
75%値			0.9				

類型： A 測定点：MC-2(麓橋)(061-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.0	11	<0.5	1	4.6E+02		
6	9.2	12	1.5	4	7.0E+04		
8	8.0	9.6	0.8	5	7.0E+03		
10	7.9	9.9	<0.5	1	1.7E+04		
12	8.0	12	<0.5	<1	1.3E+03		
2	7.9	12	0.5	<1	4.9E+02		
平均	8.2	11	0.7	2	1.6E+04		
75%値			0.8				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 阿武川水系

類型： A 測定点：BC-1(萩橋)(038-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	12	<0.5	1	1.7E+02		
6	7.5	9.6	0.5	1	1.3E+03		
8	7.4	7.9	<0.5	7	3.3E+03		
10	7.3	9.6	<0.5	1	7.9E+03		
12	7.7	10	<0.5	1	7.9E+02		
2	7.7	12	0.7	<1	7.9E+01		
平均	7.6	10	0.5	2	2.3E+03		
75%値			0.5				

類型： A 測定点：BC-2(玉江橋)(038-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	11	<0.5	<1	7.9E+01		
6	7.5	9.4	<0.5	1	1.3E+03		
8	7.4	7.7	<0.5	6	4.9E+03		
10	7.3	9.4	<0.5	1	4.9E+03		
12	8.2	8.6	<0.5	2	2.4E+03		
2	7.4	12	0.5	<1	1.3E+02		
平均	7.6	9.7	0.5	2	2.3E+03		
75%値			<0.5				

類型： A 測定点：BC-3(明木川合流点下50m)(038-03)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	11	<0.5	1	7.9E+02		
6	7.8	9.8	0.8	2	4.6E+03		
8	7.4	7.9	0.6	6	1.7E+03		
10	7.3	9.3	<0.5	2	4.9E+03		
12	7.5	10	0.6	1	7.0E+02		
2	7.7	12	0.5	1	3.3E+01		
平均	7.5	10	0.6	2	2.1E+03		
75%値			0.6				

類型： AA 測定点：BC-4(聴秋橋)(066-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	11	<0.5	3	1.1E+03		
6	7.5	9.7	<0.5	2	7.9E+03		
8	7.6	8.5	<0.5	6	6.3E+03		
10	7.4	10	<0.5	2	1.1E+04		
12	7.6	11	0.5	1	4.9E+02		
2	7.3	13	<0.5	3	3.3E+02		
平均	7.5	11	0.5	3	4.5E+03		
75%値			<0.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

類型：AA 測定点：BC-5(白井谷川合流点の橋)(067-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	11	<0.5	3	7.9E+02		
6	8.1	9.2	<0.5	1	7.9E+03		
8	8.0	8.5	<0.5	2	4.9E+03		
10	7.8	10	<0.5	2	4.9E+03		
12	8.1	11	<0.5	1	7.9E+02		
2	7.8	12	<0.5	1	3.3E+01		
平均	8.0	10	<0.5	2	3.2E+03		
75%値			<0.5				

類型：AA 測定点：BC-6(長者原の橋)(040-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	12	<0.5	1	2.4E+02		
6	7.3	9.9	<0.5	<1	3.3E+03		
8	7.6	8.6	<0.5	1	3.3E+03		
10	7.3	10	<0.5	<1	7.9E+03		
12	7.5	12	<0.5	<1	4.9E+02		
2	7.2	13	<0.5	<1	7.0E+01		
平均	7.4	11	<0.5	1	2.6E+03		
75%値			<0.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 大井川水系

類型： A 測定点：0C-1(大井橋)(062-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.2	9.4	0.6	1	4.9E+02		
6	7.1	7.9	0.5	1	3.3E+04		
8	7.1	8.0	<0.5	2	3.3E+04		
10	7.1	10	<0.5	1	7.9E+03		
12	7.2	11	<0.5	1	7.9E+02		
2	7.2	12	<0.5	<1	4.9E+01		
平均	7.2	9.7	0.5	1	1.3E+04		
75%値			0.5				

類型： A 測定点：0C-2(高木橋)(062-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.3	12	0.8	2	7.0E+02		
6	7.0	10	0.6	2	1.7E+04		
8	7.2	8.9	<0.5	1	2.7E+04		
10	7.1	10	<0.5	<1	7.0E+03		
12	7.1	11	<0.5	<1	7.9E+02		
2	7.1	13	0.5	<1	4.9E+01		
平均	7.1	11	0.6	1	8.8E+03		
75%値			0.6				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成25年度 河川

水域名 田万川水系

類型： A 測定点：TC-1(須潟橋)(063-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	10	<0.5	2	1.1E+02		
6	7.6	8.7	<0.5	2	4.9E+03		
8	8.0	8.4	<0.5	3	3.3E+04		
10	7.4	10	<0.5	1	7.0E+03		
12	7.6	11	<0.5	1	2.3E+02		
2	7.4	13	<0.5	1	4.9E+01		
平均	7.6	10	<0.5	2	7.5E+03		
75%値			<0.5				

類型： A 測定点：TC-2(高岩橋)(063-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.0	10	0.7	2	1.1E+03		
6	7.4	8.9	0.5	2	2.2E+04		
8	7.5	8.4	<0.5	1	2.2E+04		
10	7.5	10	<0.5	<1	2.2E+03		
12	7.8	11	<0.5	<1	3.3E+02		
2	7.4	12	<0.5	<1	2.3E+01		
平均	7.6	10	0.5	1	7.9E+03		
75%値			0.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。
採取位置の全層とは、表層、中層及び底層の平均を示す。