

平成26年度 河川

水域名 小瀬川水系

類型： A 測定点：VC-1(両国橋)(055-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	11	0.8	2	7.9E+02	0.33	0.011
5	7.2	10	0.9	2	3.3E+03	0.31	0.014
6	7.4	9.4	0.8	3	7.9E+03	0.33	0.012
7	7.2	9.0	0.7	2	7.9E+03	0.36	0.012
8	7.2	8.5	0.6	2	2.4E+04	0.30	0.013
9	7.3	8.5	0.6	2	1.1E+03	0.32	0.011
10	7.5	9.3	0.9	3	1.7E+03	0.35	0.014
11	7.6	10	0.6	3	1.4E+03	0.32	0.010
12	6.9	10	0.8	2	2.2E+03	0.30	0.010
1	7.2	12	0.7	1	1.3E+03	0.42	0.012
2	7.3	12	0.9	1	3.3E+02	0.32	0.007
3	7.2	11	<0.5	2	1.7E+02	0.34	0.011
平均	7.3	10	0.7	2	4.3E+03	0.33	0.011
75%値			0.8				

類型： B 測定点：VC-2(大和橋)(056-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	11	1.4	2	7.0E+02	0.32	0.010
5	7.3	10	1.1	2	2.7E+03	0.33	0.015
6	7.2	9.0	<0.5	3	4.6E+03	0.33	0.012
7	7.2	9.1	0.8	2	4.1E+03	0.35	0.010
8	7.1	8.7	0.6	2	1.0E+04	0.30	0.014
9	7.3	8.7	0.5	1	2.0E+03	0.30	0.014
10	7.4	8.7	0.7	2	1.6E+03	0.34	0.013
11	7.6	10	0.7	2	3.3E+03	0.26	0.009
12	7.4	10	0.9	2	6.4E+02	0.28	0.012
1	7.3	12	0.8	1	4.1E+02	0.44	0.011
2	7.3	12	1.0	<1	3.7E+02	0.33	0.007
3	7.3	11	<0.5	2	1.5E+02	0.34	0.011
平均	7.3	10	0.8	2	2.5E+03	0.33	0.012
75%値			0.9				

類型： AA 測定点：VC-3(小川津)(054-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	0.6	2	4.9E+02	0.29	0.008
5	7.6	10	0.8	1	7.9E+02	0.22	0.008
6	7.5	9.8	0.6	3	1.7E+03	0.29	0.011
7	7.2	9.2	0.7	2	1.1E+04	0.33	0.010
8	7.2	8.7	0.6	1	1.3E+04	0.25	0.010
9	7.4	8.4	0.6	1	1.1E+04	0.28	0.011
10	7.4	8.4	0.5	1	4.9E+03	0.30	0.005
11	7.3	11	<0.5	2	1.7E+03	0.37	0.008
12	7.2	9.4	0.7	1	1.7E+03	0.29	0.005
1	7.2	10	0.5	2	7.0E+02	0.35	0.010
2	7.4	11	0.7	2	1.7E+02	0.36	0.009
3	7.2	11	0.7	7	1.1E+02	0.33	0.015
平均	7.4	9.8	0.6	2	3.9E+03	0.31	0.009
75%値			0.7				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 錦川水系

類型： B 測定点：EC-1(大正橋)(003-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	12	0.5	<1	1.3E+02		
5	7.6	8.9	1.1	1	1.7E+04		
6	7.8	9.4	0.7	1	4.9E+03		
7	7.7	9.1	<0.5	1	3.3E+03		
8	7.9	9.8	0.8	1	4.9E+03		
9	7.5	8.9	0.8	<1	7.9E+03		
10	7.5	9.4	<0.5	1	1.3E+04		
11	7.7	10	<0.5	1	2.3E+03		
12	7.6	10	0.5	1	2.4E+03		
1	7.4	12	0.6	<1	3.3E+02		
2	7.3	12	<0.5	<1	2.4E+02		
3	7.4	12	<0.5	<1	5.4E+02		
平均	7.6	10	0.6	1	4.7E+03		
75%値			0.7				

類型： B 測定点：EC-2(愛川橋)(004-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.2	12	0.6	1	2.2E+02		
5	7.6	7.0	0.8	1	7.9E+03		
6	7.8	8.9	0.6	1	4.6E+03		
7	8.1	9.7	0.6	3	1.7E+03		
8	8.1	9.7	0.8	8	1.1E+04		
9	8.0	9.5	1.3	5	1.1E+04		
10	7.6	8.2	0.6	2	4.9E+03		
11	8.0	9.8	<0.5	1	4.9E+03		
12	8.0	9.4	0.6	3	3.3E+02		
1	8.3	13	0.7	1	7.9E+01		
2	8.1	13	0.5	<1	1.3E+02		
3	7.8	11	<0.5	<1	2.3E+02		
平均	8.0	10	0.7	2	3.9E+03		
75%値			0.7				

類型： A 測定点：EC-3(愛宕橋)(005-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	12	1.2	<1	2.3E+02	0.38	0.014
5	7.6	9.4	1.0	1	3.5E+03		
6	7.7	10	0.5	<1	1.3E+03	0.34	0.015
7	7.6	9.3	0.5	1	3.3E+03		
8	7.5	9.7	0.6	1	1.3E+04	0.43	0.015
9	7.7	9.8	0.8	<1	2.3E+03		
10	7.4	8.9	<0.5	1	2.4E+03	0.52	0.016
11	7.5	10	<0.5	<1	1.3E+03		
12	7.5	11	0.5	<1	1.3E+03	0.52	0.012
1	7.5	12	<0.5	1	3.3E+02		
2	7.4	11	<0.5	<1	1.7E+02	0.43	0.015
3	7.5	12	<0.5	<1	3.1E+02		
平均	7.6	10	0.6	1	2.5E+03	0.44	0.015
75%値			0.6				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

類型： A 測定点：EC-4(市上水取水口)(005-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	11	0.7	<1	7.9E+01		
5	7.7	10	1.2	3	7.9E+04		
6	7.7	9.3	0.7	<1	1.4E+03		
7	7.7	8.8	0.5	2	1.4E+03		
8	7.6	9.2	0.7	1	7.9E+03		
9	7.8	9.7	0.7	<1	1.3E+03		
10	7.4	9.0	0.5	<1	2.4E+03		
11	7.6	10	<0.5	<1	1.3E+03		
12	7.7	11	0.5	<1	1.1E+03		
1	7.6	12	<0.5	1	1.7E+02		
2	7.4	12	<0.5	<1	1.3E+02		
3	7.4	12	<0.5	<1	1.1E+02		
平均	7.6	10	0.6	1	8.0E+03		
75%値			0.7				

類型： A 測定点：EC-5(守内橋)(005-03)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	11	0.5	<1	1.1E+02		
5	7.5	9.5	0.8	1	1.3E+03		
6	7.8	9.7	0.6	<1	7.9E+02		
7	7.6	9.2	<0.5	1	1.7E+03		
8	7.6	9.3	0.6	1	5.4E+03		
9	8.0	10	1.0	<1	5.4E+03		
10	7.5	9.4	0.5	<1	1.7E+03		
11	7.6	10	<0.5	<1	4.6E+02		
12	7.7	12	<0.5	<1	1.7E+03		
1	7.5	13	<0.5	<1	4.9E+02		
2	7.5	12	<0.5	<1	7.9E+01		
3	7.5	13	<0.5	<1	1.3E+02		
平均	7.6	11	0.6	1	1.6E+03		
75%値			0.6				

類型： A 測定点：EC-6(根笠橋)(005-04)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	12	0.6	<1	4.6E+01		
5	7.6	9.5	0.8	1	1.7E+03		
6	8.0	9.8	0.6	<1	7.9E+02		
7	7.6	9.2	<0.5	<1	5.4E+03		
8	7.5	9.1	0.6	<1	7.9E+03		
9	7.8	9.5	0.7	<1	2.3E+03		
10	7.7	8.9	<0.5	<1	3.3E+03		
11	7.6	10	<0.5	<1	4.9E+02		
12	7.7	11	<0.5	<1	7.0E+02		
1	7.6	13	<0.5	<1	1.3E+03		
2	7.5	14	<0.5	<1	1.3E+02		
3	7.6	12	<0.5	<1	4.9E+02		
平均	7.7	11	0.6	1	2.0E+03		
75%値			0.6				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

類型： A 測定点：EC-10(垂門橋)(005-51)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	11	<0.5	1	1.3E+03	0.42	0.018
5	7.5	9.2	0.8	1	3.5E+03		
6	7.7	9.6	0.6	1	3.3E+03	0.30	0.021
7	7.6	9.1	<0.5	<1	5.4E+04		
8	7.4	9.0	0.5	1	2.4E+04	0.36	0.016
9	7.5	9.2	0.8	<1	1.7E+04		
10	7.5	9.6	0.6	<1	3.3E+03	0.52	0.016
11	7.6	10	<0.5	<1	1.3E+03		
12	7.5	11	0.5	1	2.2E+03	0.56	0.013
1	7.4	12	<0.5	<1	3.3E+02		
2	7.4	13	<0.5	<1	7.9E+02	0.34	0.009
3	7.5	12	<0.5	<1	1.3E+02		
平均	7.5	10	0.6	1	9.3E+03	0.42	0.016
75%値			0.6				

類型： AA 測定点：EC-7(出市橋)(006-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	12	0.8	<1	1.7E+02		
5	7.5	10	0.7	1	7.9E+02		
6	8.2	9.5	0.5	<1	4.9E+02		
7	7.8	9.2	<0.5	<1	1.3E+04		
8	7.6	9.8	0.5	<1	2.3E+03		
9	8.0	9.9	0.6	<1	4.6E+03		
10	7.8	9.5	1.0	<1	3.5E+03		
11	7.7	11	<0.5	<1	1.3E+03		
12	7.5	11	0.9	<1	1.7E+03		
1	7.5	13	<0.5	<1	1.1E+02		
2	7.3	13	<0.5	<1	4.6E+01		
3	7.5	12	<0.5	<1	7.9E+01		
平均	7.7	11	0.6	1	2.3E+03		
75%値			0.7				

類型： AA 測定点：EC-8(ふるえ橋)(006-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	12	0.5	1	7.9E+01		
5	7.6	10	1.1	2	5.4E+03		
6	7.8	9.4	<0.5	<1	4.9E+02		
7	7.8	9.4	<0.5	<1	4.6E+03		
8	7.6	9.4	0.5	<1	7.0E+03		
9	7.9	9.9	0.5	<1	7.9E+03		
10	7.8	9.6	0.5	<1	1.3E+03		
11	7.7	11	<0.5	<1	7.9E+02		
12	7.5	12	0.6	<1	3.3E+02		
1	7.4	13	<0.5	<1	1.3E+02		
2	7.4	12	0.5	<1	9.4E+01		
3	7.4	12	<0.5	<1	3.3E+01		
平均	7.6	11	0.6	1	2.3E+03		
75%値			0.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 由宇川水系

類型： A 測定点：PC-1(ひえだ堰)(041-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.2	12	0.7	1	2.2E+03	0.41	0.026
5	8.2	11	0.9	2	4.6E+03		
6	7.7	9.9	0.7	2	3.5E+04	0.53	0.072
7	8.1	10	1.0	1	2.4E+04		
8	7.5	8.5	0.8	5	1.3E+04	0.52	0.051
9	7.9	9.9	0.7	1	5.4E+04		
10	7.8	9.9	0.5	2	5.4E+04	0.45	0.050
11	7.7	11	0.6	<1	2.7E+03		
12	7.6	11	<0.5	1	4.9E+03	0.62	0.036
1	7.6	12	0.7	<1	1.7E+03		
2	7.5	12	<0.5	<1	1.3E+03	0.55	0.017
3	7.6	12	<0.5	5	3.3E+03		
平均	7.8	11	0.7	2	1.7E+04	0.51	0.042
75%値			0.7				

類型： A 測定点：PC-2(積善橋)(041-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	11	0.6	1	3.3E+03		
5	7.9	9.7	0.8	2	4.9E+03		
6	7.8	9.8	0.7	2	1.3E+04		
7	8.1	9.3	0.9	1	3.5E+04		
8	7.6	8.8	1.0	6	2.4E+05		
9	7.9	9.4	0.6	1	1.7E+05		
10	7.7	10	0.5	1	3.3E+04		
11	7.8	10	<0.5	<1	2.4E+03		
12	7.8	12	<0.5	1	6.3E+03		
1	7.8	13	0.8	<1	3.3E+03		
2	7.9	12	<0.5	<1	7.9E+02		
3	7.7	12	<0.5	3	1.1E+03		
平均	7.8	11	0.7	2	4.3E+04		
75%値			0.8				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 柳井川水系

類型： B 測定点：NC-1(柳井大橋)(013-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.3	13	0.9	3	3.3E+03	0.49	0.058
5	8.3	11	1.1	9	1.7E+03		
6	7.6	8.9	1.2	16	3.5E+04	0.53	0.10
7	8.3	9.7	1.1	5	2.2E+04		
8	7.5	8.2	1.2	12	3.5E+04	0.66	0.077
9	8.3	10	0.8	7	2.2E+04		
10	7.5	10	0.7	12	1.1E+04	0.56	0.082
11	8.0	8.9	0.7	5	1.7E+04		
12	7.7	11	0.5	5	1.7E+04	0.46	0.054
1	8.3	13	1.7	6	7.9E+02		
2	7.8	12	0.5	8	2.3E+03	0.80	0.056
3	7.9	12	<0.5	10	1.1E+04		
平均	8.0	11	0.9	8	1.5E+04	0.58	0.071
75%値			1.1				

類型： A 測定点：NC-2(元折橋)(014-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	11	1.4	4	3.3E+03		
5	7.6	9.5	1.9	4	1.1E+04		
6	7.5	8.7	1.5	7	7.9E+04		
7	7.6	8.6	1.1	5	2.3E+04		
8	7.4	8.4	1.1	15	2.3E+04		
9	7.6	9.1	0.9	4	7.9E+04		
10	7.7	9.7	0.7	4	3.3E+04		
11	7.8	11	0.9	1	1.1E+04		
12	7.5	11	0.9	4	6.3E+03		
1	7.7	13	1.1	2	3.3E+03		
2	7.9	14	1.0	3	4.9E+03		
3	7.6	12	<0.5	4	4.6E+03		
平均	7.6	11	1.1	5	2.3E+04		
75%値			1.1				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 土穂石川水系

類型： B 測定点：NC-3(田布呂木橋)(017-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	11	2.4	3	3.3E+04	2.1	0.23
5	7.4	7.3	2.4	13	1.3E+05		
6	7.2	5.4	2.3	13	4.9E+04	1.6	0.25
7	7.4	7.0	1.4	8	1.3E+05		
8	7.2	6.4	1.5	7	4.9E+04	1.0	0.19
9	7.5	6.9	1.3	19	4.6E+04		
10	7.6	7.9	1.3	12	4.9E+04	2.2	0.32
11	7.5	8.4	1.9	12	7.0E+04		
12	7.2	9.9	1.6	7	7.9E+03	1.5	0.17
1	7.7	14	2.5	4	1.1E+04		
2	7.8	13	1.5	2	1.1E+04	2.8	0.23
3	7.6	13	1.4	9	7.9E+03		
平均	7.5	9.2	1.8	9	4.9E+04	1.9	0.23
75%値			2.3				

類型： A 測定点：NC-4(八幡橋)(018-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.2	9.0	3.2	7	4.9E+04		
5	7.3	6.6	2.9	13	2.7E+04		
6	7.1	4.1	4.8	9	2.2E+04		
7	7.2	5.6	2.2	7	1.1E+05		
8	7.1	6.8	2.0	9	7.9E+04		
9	7.3	5.6	2.6	9	7.0E+04		
10	7.2	8.5	1.8	12	4.6E+04		
11	7.2	7.1	2.2	15	7.0E+04		
12	7.1	10	1.9	5	2.4E+04		
1	7.3	9.0	1.9	5	2.4E+04		
2	7.3	10	1.9	3	2.4E+04		
3	7.3	11	2.0	11	4.9E+03		
平均	7.2	7.8	2.5	9	4.6E+04		
75%値			2.6				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 田布施川水系

類型： B 測定点：AC-1(八海橋)(019-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.3	11	1.1	6	3.1E+02	0.55	0.066
5	8.0	10	2.9	8	1.1E+02		
6	8.1	9.9	1.4	9	3.3E+03	0.58	0.081
7	8.5	10	1.8	11	4.9E+03		
8	7.4	7.9	0.8	8	7.9E+04	0.65	0.072
9	8.0	9.1	1.3	13	8.0E+02		
10	7.9	9.4	0.7	8	2.3E+03	0.59	0.095
11	8.1	9.9	0.8	8	1.1E+03		
12	7.8	11	0.6	5	3.3E+03	0.95	0.087
1	8.3	13	0.8	7	9.0E+00		
2	8.1	11	<0.5	2	2.2E+02	0.79	0.042
3	8.0	12	<0.5	8	5.4E+03		
平均	8.0	10	1.1	8	8.4E+03	0.69	0.074
75%値			1.3				

類型： A 測定点：AC-2(中央橋)(020-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	11	1.1	15	3.3E+03		
5	8.2	11	1.3	12	1.7E+03		
6	7.6	9.8	1.7	17	5.4E+04		
7	7.8	9.4	1.9	4	3.5E+04		
8	7.4	8.3	0.9	6	3.5E+05		
9	7.8	9.6	0.8	4	2.2E+04		
10	7.7	9.6	0.6	3	2.4E+04		
11	8.2	11	1.1	2	7.0E+03		
12	7.6	11	0.7	2	7.0E+03		
1	7.7	12	0.8	1	2.2E+03		
2	7.7	12	0.5	3	2.3E+03		
3	7.6	12	0.7	14	1.1E+04		
平均	7.8	11	1.0	7	4.3E+04		
75%値			1.1				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 光井川水系

類型： B 測定点：HC-1(鮎婦橋下流30m)(068-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	11	0.8	1	1.3E+03	0.50	0.035
5	7.4	9.0	1.4	14	2.2E+03		
6	7.5	8.7	1.1	10	3.5E+04	0.68	0.081
7	8.0	8.9	1.3	3	7.9E+04		
8	7.4	8.4	0.7	14	2.3E+04	0.59	0.058
9	7.8	8.9	0.9	2	1.7E+04		
10	7.5	9.2	0.8	2	2.4E+04	0.52	0.051
11	7.6	10	0.9	2	4.9E+03		
12	7.5	11	0.8	1	4.9E+03	0.71	0.046
1	7.6	12	0.8	<1	3.3E+03		
2	7.6	12	<0.5	5	3.3E+03	0.86	0.038
3	7.9	12	0.6	5	3.3E+03		
平均	7.6	10	0.9	5	1.7E+04	0.64	0.052
75%値			0.9				

類型： A 測定点：HC-2(宮田橋上流300m)(069-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	10	1.2	2	2.7E+03		
5	7.7	9.8	0.8	2	4.6E+03		
6	7.6	9.8	1.1	2	5.4E+04		
7	8.6	10	1.2	1	4.9E+04		
8	7.4	8.6	0.7	13	4.9E+04		
9	7.6	8.8	0.9	3	4.9E+04		
10	7.6	9.6	0.8	3	2.3E+04		
11	7.7	10	0.8	2	5.4E+04		
12	7.6	11	0.7	1	4.9E+03		
1	7.8	12	1.3	<1	1.4E+03		
2	8.6	13	0.6	1	2.3E+03		
3	8.2	12	0.6	3	3.3E+03		
平均	7.9	10	0.9	3	2.5E+04		
75%値			1.1				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 島田川水系

類型： A 測定点：GC-1(米川橋)(023-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	12	0.8	1	4.9E+03		
5	7.5	11	1.0	2	4.9E+03		
6	7.3	10	1.1	2	1.1E+04		
7	7.3	9.5	0.9	1	5.4E+04		
8	7.0	8.8	0.8	8	5.4E+04		
9	7.2	9.9	0.9	<1	1.7E+04		
10	7.0	10	0.6	<1	4.6E+03		
11	7.5	11	0.6	1	7.0E+03		
12	7.2	11	<0.5	1	3.3E+03		
1	7.2	12	0.8	1	3.3E+03		
2	7.2	12	<0.5	2	3.5E+04		
3	7.3	12	0.5	5	3.3E+03		
平均	7.3	11	0.8	2	1.7E+04		
75%値			0.9				

類型： A 測定点：GC-2(束荷川合流点下100m)(023-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	12	0.7	2	1.3E+03		
5	7.5	10	0.7	3	4.9E+03		
6	7.5	9.9	0.8	2	3.5E+04		
7	7.5	9.1	0.8	1	7.9E+03		
8	7.1	8.7	0.6	11	1.3E+04		
9	7.5	9.6	0.7	1	7.9E+04		
10	7.3	9.9	0.8	1	7.9E+02		
11	7.6	10	0.5	<1	1.1E+03		
12	7.4	11	<0.5	1	5.4E+04		
1	7.3	12	0.7	<1	1.3E+03		
2	7.4	11	0.6	2	7.9E+02		
3	7.4	12	0.5	7	7.9E+03		
平均	7.4	10	0.7	3	1.7E+04		
75%値			0.7				

類型： A 測定点：GC-3(千歳小橋)(023-03)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	10	0.7	1	1.3E+03	0.37	0.020
5	7.5	9.5	0.8	2	1.7E+03		
6	7.5	9.1	0.7	5	1.3E+04	0.45	0.062
7	7.9	9.1	0.9	1	4.9E+03		
8	7.1	8.4	0.6	10	3.5E+04	0.58	0.046
9	7.6	9.0	0.9	3	1.7E+04		
10	7.5	10	0.6	4	7.0E+03	0.55	0.044
11	7.5	10	0.6	2	3.3E+03		
12	7.5	11	0.6	2	7.0E+03	0.60	0.043
1	7.6	13	0.8	<1	2.2E+02		
2	7.5	11	0.6	2	1.7E+03	0.62	0.020
3	7.6	12	<0.5	5	7.0E+03		
平均	7.5	10	0.7	3	8.3E+03	0.53	0.039
75%値			0.8				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 切戸川水系

類型： B 測定点：QC-1(切戸大橋)(042-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.3	12	0.8	1	4.9E+02	0.56	0.029
5	8.6	12	1.0	7	3.3E+03		
6	8.3	10	0.8	4	2.4E+04	0.71	0.057
7	7.6	9.3	0.7	6	5.4E+04		
8	8.2	9.7	0.8	4	7.9E+04	0.54	0.051
9	8.4	9.4	0.7	4	7.9E+03		
10	8.1	10	0.8	3	4.9E+03	0.57	0.042
11	7.9	11	0.7	1	7.9E+03		
12	7.6	11	1.2	4	4.9E+03	0.85	0.046
1	7.6	11	<0.5	1	1.7E+03		
2	8.1	14	<0.5	2	2.3E+02	0.72	0.027
3	7.8	12	0.5	9	2.2E+03		
平均	8.0	11	0.8	4	1.6E+04	0.66	0.042
75%値			0.8				

類型： A 測定点：QC-2(下出合橋)(043-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.6	12	0.7	1	3.3E+03		
5	9.0	12	1.2	1	2.3E+03		
6	8.1	9.8	0.8	1	3.5E+04		
7	7.6	9.3	0.8	4	7.9E+04		
8	8.2	9.8	<0.5	2	4.9E+04		
9	8.4	10	0.7	1	3.3E+04		
10	8.1	10	<0.5	<1	1.3E+04		
11	7.9	11	0.6	<1	7.9E+03		
12	7.7	11	1.6	5	7.0E+03		
1	8.0	13	<0.5	<1	1.7E+03		
2	8.2	13	<0.5	<1	1.3E+03		
3	8.0	12	<0.5	<1	7.9E+03		
平均	8.2	11	0.7	2	2.0E+04		
75%値			0.8				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 平田川水系

類型： A 測定点：GC-4(平田橋中央)(025-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	11	1.0	2	3.3E+03		
5	8.5	13	1.6	2	3.3E+03		
6	7.6	9.5	1.1	2	3.5E+04		
7	7.5	8.9	0.7	5	1.7E+05		
8	7.7	9.0	0.8	2	4.6E+04		
9	7.8	9.7	0.9	1	1.7E+04		
10	7.6	9.8	0.8	8	3.5E+04		
11	7.9	11	1.4	1	1.7E+04		
12	7.6	11	1.1	17	1.7E+04		
1	7.8	12	0.6	1	3.3E+03		
2	8.1	14	<0.5	1	1.1E+03		
3	7.8	12	0.8	1	4.6E+03		
平均	7.8	11	0.9	4	2.9E+04		
75%値			1.1				

類型： B 測定点：GC-5(平田橋188号線)(024-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.2	13	1.1	3	3.3E+03	1.1	0.065
5	8.7	13	1.3	4	1.7E+03		
6	8.0	10	1.1	6	3.5E+04	0.94	0.078
7	7.5	8.9	0.7	5	7.9E+04		
8	8.0	10	1.0	2	1.1E+05	0.86	0.061
9	8.2	11	0.8	1	1.3E+05		
10	8.0	11	0.9	4	1.7E+04	1.0	0.070
11	8.1	12	0.8	2	4.9E+03		
12	7.7	11	1.6	9	3.5E+04	1.1	0.082
1	7.7	10	1.0	3	6.3E+03		
2	7.9	13	1.1	1	1.3E+03	1.2	0.044
3	7.7	10	0.8	7	7.9E+02		
平均	8.0	11	1.0	4	3.5E+04	1.0	0.067
75%値			1.1				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 末武川水系

類型： A 測定点：GC-6(月見橋)(026-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	11	<0.5	1	4.9E+02		
5	8.3	11	0.6	1	2.3E+02		
6	7.8	10	0.6	3	2.4E+03		
7	7.5	9.2	1.1	4	3.3E+03		
8	7.7	9.8	0.7	1	7.9E+03		
9	7.8	10	0.5	1	1.7E+04		
10	7.8	9.6	<0.5	1	7.9E+03		
11	7.9	10	0.5	<1	4.9E+03		
12	7.8	12	<0.5	1	7.9E+01		
1	8.0	12	<0.5	<1	2.3E+02		
2	7.7	12	1.5	1	4.9E+02		
3	7.8	12	<0.5	1	1.1E+02		
平均	7.8	11	0.7	1	3.8E+03		
75%値			0.6				

類型： A 測定点：GC-7(荒神大橋)(026-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	9.6	1.7	3	1.3E+07	0.63	0.044
5	7.9	10	0.9	1	4.9E+05		
6	7.4	7.1	1.8	4	1.7E+06	0.91	0.077
7	7.7	9.0	1.2	4	1.3E+06		
8	8.1	10	0.9	2	7.0E+04	0.55	0.035
9	7.8	11	0.9	1	3.3E+05		
10	7.6	9.2	1.2	1	3.5E+06	0.43	0.037
11	8.7	11	1.1	1	1.3E+06		
12	7.9	12	1.2	1	1.3E+06	0.71	0.023
1	8.2	11	0.9	1	1.4E+06		
2	8.2	13	<0.5	1	4.9E+05	0.73	0.040
3	8.7	12	2.1	2	2.3E+05		
平均	8.0	10	1.2	2	2.1E+06	0.66	0.043
75%値			1.2				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 富田川水系

類型： A 測定点：GC-8(横矢堰)(028-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	10	1.7	6	7.9E+03		
5	8.2	9.6	1.2	2	3.3E+03		
6	7.7	8.9	0.8	1	7.9E+03		
7	7.6	10	0.6	1	1.3E+03		
8	7.7	9.2	1.0	2	1.1E+04		
9	7.9	8.6	0.9	1	1.7E+04		
10	7.8	8.7	0.8	1	1.3E+04		
11	7.8	9.2	0.6	1	1.3E+04		
12	7.7	10	0.9	1	1.7E+03		
1	7.9	11	0.7	1	1.7E+02		
2	7.8	12	1.7	2	3.3E+02		
3	7.7	11	0.6	1	7.9E+02		
平均	7.8	9.9	1.0	2	6.4E+03		
75%値			1.0				

類型： B 測定点：GC-9(新開橋)(027-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	12	0.8	4	3.3E+03	0.56	0.030
5	7.9	10	1.1	5	3.3E+03		
6	7.5	8.6	0.8	6	3.5E+04	0.65	0.058
7	7.6	9.9	0.6	3	7.9E+03		
8	7.8	9.2	0.8	3	2.2E+04	0.54	0.043
9	7.7	9.6	0.6	2	5.4E+04		
10	7.3	8.3	0.6	1	3.5E+04	0.50	0.048
11	8.1	11	0.7	3	1.3E+04		
12	7.6	10	0.9	4	3.1E+03	0.76	0.035
1	7.8	12	0.6	2	2.7E+02		
2	7.7	13	1.6	1	1.2E+02	0.68	0.019
3	7.7	11	<0.5	1	5.4E+02		
平均	7.7	10	0.8	3	1.5E+04	0.62	0.039
75%値			0.8				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 夜市川水系

類型： A 測定点：GC-10(湯野国際観光ホテル前の井堰)(030-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	0.5	<1	2.3E+03		
5	7.6	10	0.7	1	3.3E+03		
6	7.4	9.8	<0.5	1	2.2E+04		
7	7.3	9.2	0.5	5	5.4E+04		
8	7.4	9.4	0.6	5	1.3E+05		
9	7.5	9.3	0.7	2	2.4E+04		
10	7.4	9.8	0.5	1	2.2E+04		
11	7.7	10	0.5	1	4.9E+03		
12	7.4	11	0.7	4	5.4E+04		
1	7.2	11	0.9	4	1.4E+04		
2	7.5	12	0.5	<1	2.4E+03		
3	7.4	12	<0.5	<1	1.1E+04		
平均	7.5	10	0.6	2	2.9E+04		
75%値			0.7				

類型： B 測定点：GC-11(常盤橋)(029-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	11	0.5	2	3.3E+03	0.54	0.020
5	7.5	9.2	0.8	4	1.3E+05		
6	7.2	8.2	1.8	1	7.9E+04	0.73	0.053
7	7.2	9.2	0.5	3	1.1E+05		
8	7.4	9.8	0.8	2	3.3E+04	0.47	0.034
9	7.5	9.8	0.7	1	1.3E+04		
10	7.4	9.5	0.5	2	1.1E+05	0.37	0.033
11	7.5	10	0.6	1	4.9E+03		
12	7.3	11	0.8	1	4.9E+03	0.59	0.029
1	7.2	11	0.7	3	2.2E+03		
2	7.4	12	<0.5	1	3.5E+03	0.58	0.015
3	7.3	11	<0.5	1	2.4E+03		
平均	7.4	10	0.7	2	4.1E+04	0.55	0.031
75%値			0.8				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 佐波川水系

類型： B 測定点：NC-1(佐波川大橋)(007-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	10	1.0	5	2.4E+02	0.49	0.019
5	7.3	8.2	0.6	8	1.3E+03	0.53	0.038
6	7.5	8.4	<0.5	4	4.6E+02	0.54	0.037
7	7.5	8.6	0.7	3	7.0E+02	0.44	0.024
8	7.4	8.9	<0.5	3	3.3E+02	0.43	0.022
9	7.5	9.1	0.6	3	1.6E+04	0.39	0.025
10	7.7	9.0	0.5	3	7.9E+02	0.33	0.025
11	7.8	10	0.7	3	1.1E+03	0.33	0.028
12	7.7	12	0.8	2	2.4E+03	0.52	0.019
1	7.3	11	0.6	1	3.3E+02	0.52	0.009
2	7.4	13	<0.5	1	4.9E+02	0.51	0.008
3	7.7	12	1.8	2	2.2E+02	0.56	0.014
平均	7.5	10	0.7	3	2.0E+03	0.47	0.022
75%値			0.7				

類型： A 測定点：NC-2(新橋)(008-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	9.8	0.7	1	2.3E+02	0.43	0.010
5	7.6	9.4	0.6	2	1.4E+03	0.42	0.018
6	7.5	8.7	<0.5	2	6.5E+02	0.47	0.022
7	7.4	8.0	0.5	1	2.9E+03	0.43	0.015
8	7.3	8.3	<0.5	2	8.1E+03	0.42	0.018
9	7.5	8.2	0.7	1	1.1E+04	0.39	0.013
10	7.4	8.6	0.5	1	1.0E+03	0.34	0.011
11	7.7	10	<0.5	1	5.1E+03	0.38	0.008
12	7.5	11	<0.5	1	4.6E+02	0.49	0.006
1	7.5	12	0.7	2	3.6E+02	0.52	0.006
2	7.5	12	<0.5	1	5.5E+02	0.48	0.006
3	7.4	11	2.2	1	8.2E+02	0.54	0.009
平均	7.5	9.8	0.7	1	2.7E+03	0.44	0.012
75%値			0.7				

類型： A 測定点：NC-3(漆尾)(008-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	11	0.7	2	1.7E+02	0.52	0.013
5	7.6	9.6	0.6	2	5.4E+03	0.52	0.030
6	7.4	9.3	0.6	1	3.3E+02	0.50	0.023
7	7.6	8.9	0.5	1	3.5E+03	0.43	0.018
8	7.5	8.7	0.6	2	1.4E+03	0.44	0.017
9	7.6	8.1	0.7	1	3.5E+03	0.42	0.013
10	7.6	8.8	1.2	<1	7.9E+02	0.40	0.012
11	7.4	10	<0.5	<1	3.5E+03	0.40	0.007
12	7.5	11	<0.5	<1	1.7E+02	0.52	0.009
1	7.5	12	0.6	<1	2.3E+02	0.59	0.006
2	7.4	12	<0.5	<1	4.9E+02	0.55	0.007
3	7.5	12	2.0	<1	3.3E+02	0.55	0.011
平均	7.5	10	0.8	1	1.7E+03	0.49	0.014
75%値			0.7				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 榎野川水系

類型： B 測定点：YC-1(百間橋)(011-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	10	1.4	5	1.3E+04	1.3	0.20
5	7.4	9.5	1.0	8	1.1E+04		
6	7.4	8.0	1.6	30	2.2E+03	2.0	0.29
7	7.7	9.0	1.2	5	1.7E+04		
8	7.7	9.5	0.9	4	1.7E+04	0.76	0.11
9	7.5	8.3	1.0	10	1.1E+04		
10	7.5	9.0	1.3	43	2.1E+03	1.8	0.20
11	7.6	9.3	1.7	29	1.7E+03		
12	7.4	12	0.8	8	4.9E+02	2.3	0.25
1	7.6	12	0.6	2	4.6E+02		
2	7.5	11	0.9	4	3.3E+02	2.3	0.18
3	7.7	13	0.7	5	4.9E+02		
平均	7.5	10	1.1	13	6.4E+03	1.7	0.21
75%値			1.3				

類型： A 測定点：YC-2(平野)(012-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	11	1.0	4	7.9E+03		
5	7.7	10	0.6	6	7.0E+03		
6	7.6	9.4	1.0	9	2.2E+04		
7	7.8	9.8	0.8	2	1.4E+04		
8	7.6	9.3	0.9	3	3.3E+03		
9	7.9	9.9	1.0	2	1.3E+04		
10	7.6	10	0.8	2	1.4E+03		
11	7.5	9.5	<0.5	1	3.3E+03		
12	7.6	12	0.8	1	4.9E+03		
1	7.5	12	0.7	2	1.7E+03		
2	7.6	12	0.7	2	4.9E+02		
3	7.6	12	0.7	3	7.9E+02		
平均	7.7	11	0.8	3	6.6E+03		
75%値			0.9				

類型： A 測定点：YC-3(文場橋)(012-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	0.7	2	3.5E+03		
5	7.7	10	0.7	3	4.9E+03		
6	7.6	9.4	1.0	2	3.5E+04		
7	7.8	9.3	0.8	4	2.4E+04		
8	7.4	8.7	0.8	1	1.4E+04		
9	7.6	9.8	0.7	1	1.7E+04		
10	7.4	9.2	0.6	<1	3.3E+03		
11	7.5	10	0.6	1	7.9E+03		
12	7.4	11	0.6	<1	2.2E+02		
1	7.4	12	0.8	1	3.5E+03		
2	7.4	11	<0.5	2	2.2E+03		
3	7.4	12	0.8	2	3.3E+03		
平均	7.5	10	0.7	2	9.9E+03		
75%値			0.8				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 南若川水系

類型： A 測定点：JC-1(金毛川合流点下250m)(058-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.1	12	1.3	2	5.4E+03		
5	7.2	10	0.9	3	3.5E+04		
6	7.5	8.6	2.0	13	1.3E+04		
7	7.8	9.7	1.3	3	1.7E+04		
8	7.6	8.5	1.1	3	2.8E+04		
9	7.5	8.5	1.0	2	7.9E+03		
10	7.9	8.7	0.8	3	2.4E+04		
11	8.3	11	0.9	4	2.2E+03		
12	7.8	12	0.6	<1	4.9E+03		
1	7.6	12	0.9	3	7.0E+03		
2	7.7	13	0.7	7	1.3E+03		
3	7.8	13	1.4	25	4.9E+02		
平均	7.7	11	1.1	6	1.2E+04		
75%値			1.3				

類型： B 測定点：JC-2(新栄橋)(057-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.5	11	1.4	11	2.4E+03	0.55	0.10
5	7.4	10	0.8	7	1.1E+04		
6	7.3	7.4	1.9	27	1.1E+04	0.50	0.14
7	7.6	8.7	1.1	8	4.9E+03		
8	7.6	9.0	1.0	17	1.3E+04	0.55	0.13
9	7.5	9.5	1.0	24	1.7E+04		
10	7.7	10	1.1	35	4.9E+03	0.83	0.15
11	8.1	12	1.8	33	7.9E+02		
12	8.1	13	0.5	3	4.9E+02	0.86	0.083
1	8.5	15	0.7	2	7.9E+02		
2	7.8	14	0.8	8	7.9E+01	1.1	0.066
3	8.1	13	1.4	12	7.9E+02		
平均	7.9	11	1.1	16	5.6E+03	0.73	0.11
75%値			1.4				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 厚東川水系

類型： A 測定点：UC-1(厚東川ダム下)(001-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	10	0.9	2	2.2E+02		
5	8.0	11	0.8	1	1.3E+03		
6	7.7	10	2.0	5	1.7E+03		
7	8.2	9.3	1.6	6	1.3E+04		
8	7.9	8.9	1.6	6	5.4E+04		
9	7.8	9.8	1.0	3	4.6E+03		
10	7.6	8.1	1.6	3	3.3E+03		
11	8.3	12	1.3	4	7.9E+03		
12	8.1	11	0.7	7	3.5E+03		
1	8.0	12	1.2	3	2.3E+01		
2	8.1	12	1.0	2	3.3E+01		
3	8.0	13	1.4	2	2.2E+02		
平均	8.0	11	1.3	4	7.5E+03		
75%値			1.6				

類型： A 測定点：UC-2(末信橋)(001-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.0	10	0.8	2	3.3E+02		
5	8.7	10	0.9	1	1.3E+02		
6	7.6	8.0	1.2	2	2.4E+03		
7	7.7	8.1	1.0	5	7.9E+03		
8	7.8	8.7	1.1	5	2.4E+04		
9	7.7	8.1	0.7	2	7.9E+02		
10	7.8	8.6	0.5	1	3.5E+03		
11	8.0	10	0.9	<1	2.4E+03		
12	7.9	11	0.5	3	3.5E+03		
1	8.0	12	1.1	2	1.3E+02		
2	7.9	11	1.1	2	2.2E+02		
3	8.4	13	1.1	2	3.3E+02		
平均	8.0	9.9	0.9	2	3.8E+03		
75%値			1.1				

類型： B 測定点：UC-3(厚東川大橋)(002-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.2	11	1.2	5	3.4E+02	0.44	0.028
5	8.1	9.0	1.0	5	1.1E+01		
6	7.4	5.9	0.9	4	5.4E+03	0.70	0.047
7	7.8	9.4	1.1	8	5.4E+03		
8	7.7	6.9	1.0	20	7.9E+03	0.87	0.068
9	7.6	7.0	0.6	2	2.2E+03		
10	7.8	8.1	0.6	18	2.2E+02	0.68	0.077
11	7.9	8.3	0.8	6	4.9E+02		
12	8.1	10	<0.5	7	1.3E+03	0.61	0.046
1	8.1	14	1.1	4	3.3E+02		
2	8.0	12	0.7	11	1.4E+02	1.1	0.035
3	8.2	12	0.7	5	1.1E+02		
平均	7.9	9.5	0.9	8	2.0E+03	0.73	0.050
75%値			1.0				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 厚東川水系

類型： A 測定点：UC-6(吉野橋)(064-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.2	11	1.0	1	1.1E+03	0.58	0.012
5	8.4	10	1.0	1	7.9E+02		
6	8.2	9.5	0.8	2	4.9E+02	0.63	0.031
7	8.0	9.7	0.6	6	7.9E+03		
8	8.1	9.8	0.5	5	3.5E+04	0.86	0.033
9	8.2	10	0.5	<1	2.3E+03		
10	8.2	9.8	0.5	1	3.3E+03	0.63	0.019
11	8.4	11	0.6	1	4.9E+03		
12	8.3	12	<0.5	1	3.3E+02	0.94	0.015
1	8.1	11	0.8	11	2.4E+03		
2	8.2	12	1.6	2	4.9E+02	0.86	0.015
3	8.3	12	0.6	2	3.3E+02		
平均	8.2	11	0.8	3	4.9E+03	0.75	0.021
75%値			0.8				

類型： A 測定点：UC-7(宇内橋)(065-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.0	11	0.7	1	4.6E+02	0.44	0.023
5	8.4	11	0.8	3	5.4E+03		
6	8.0	9.6	0.9	2	1.7E+04	0.57	0.056
7	7.9	9.3	0.5	3	5.4E+04		
8	7.9	8.9	0.6	3	2.2E+04	0.63	0.037
9	8.0	9.7	<0.5	<1	1.7E+03		
10	7.9	9.6	0.6	4	1.7E+04	0.52	0.043
11	8.4	11	0.6	1	4.6E+03		
12	7.9	12	<0.5	<1	1.1E+03	0.70	0.023
1	7.5	12	0.8	5	1.4E+03		
2	7.9	13	0.8	1	4.9E+02	0.62	0.014
3	8.1	13	<0.5	<1	1.2E+02		
平均	8.0	11	0.7	2	1.0E+04	0.58	0.033
75%値			0.8				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 有帆川水系

類型： A 測定点：KC-1(下田橋)(032-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.1	11	1.1	4	7.0E+02		
5	8.0	8.7	1.5	2	2.4E+03		
6	7.5	7.4	1.0	3	7.9E+03		
7	7.7	9.1	0.6	11	2.4E+05		
8	7.5	8.9	0.7	7	3.5E+04		
9	7.6	7.8	0.5	1	1.3E+04		
10	7.8	8.3	0.7	2	1.7E+04		
11	8.2	11	0.9	3	1.7E+04		
12	7.7	12	0.7	24	2.4E+04		
1	7.6	12	1.2	8	2.3E+03		
2	7.7	12	<0.5	7	7.9E+02		
3	7.7	12	0.8	4	7.9E+02		
平均	7.8	10	0.9	6	3.0E+04		
75%値			1.0				

類型： B 測定点：KC-2(小野田橋)(031-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	9.5	0.9	6	3.5E+04	0.41	0.029
5	7.8	8.5	0.7	8	2.3E+02		
6	7.4	4.9	0.9	8	7.9E+03	0.59	0.053
7	7.1	8.3	0.8	8	7.9E+04		
8	7.2	8.4	1.2	16	1.7E+04	0.57	0.060
9	7.5	7.8	<0.5	11	3.3E+03		
10	7.6	7.4	0.5	15	4.9E+03	0.70	0.064
11	7.8	8.0	1.1	12	7.9E+03		
12	7.7	10	<0.5	3	1.3E+03	0.62	0.039
1	7.4	13	1.1	11	3.3E+03		
2	7.4	12	1.1	14	1.1E+03	1.0	0.052
3	7.7	11	0.9	8	4.9E+02		
平均	7.5	9.1	0.9	10	1.3E+04	0.65	0.050
75%値			1.1				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 厚狭川水系

類型： A 測定点：KC-3(祖父瀬橋) (034-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.1	10	0.7	3	7.9E+02		
5	8.1	9.6	1.2	1	1.7E+03		
6	8.3	10	0.8	2	7.9E+03		
7	8.0	9.3	0.7	8	1.3E+05		
8	7.8	9.3	0.6	6	3.5E+04		
9	8.0	9.0	<0.5	1	2.7E+03		
10	8.1	9.7	0.6	2	3.5E+04		
11	8.7	11	0.6	2	4.9E+03		
12	8.3	11	<0.5	2	5.4E+03		
1	7.8	11	0.7	4	1.3E+03		
2	8.1	12	0.7	2	1.3E+03		
3	8.1	12	<0.5	1	4.9E+02		
平均	8.1	10	0.7	3	1.9E+04		
75%値			0.7				

類型： A 測定点：KC-4(湯峠橋) (034-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.2	11	0.7	3	3.5E+03		
5	8.2	10	1.1	2	1.3E+03		
6	8.3	9.9	0.6	1	7.0E+03		
7	8.1	9.1	0.7	6	3.5E+04		
8	7.8	9.7	0.5	5	5.4E+04		
9	8.2	10	<0.5	1	4.9E+03		
10	8.3	9.9	0.6	1	1.3E+04		
11	8.6	11	0.6	1	1.3E+04		
12	8.3	12	<0.5	1	3.3E+03		
1	7.9	12	0.8	7	1.3E+03		
2	8.1	12	0.9	4	4.6E+02		
3	8.1	13	<0.5	2	3.3E+02		
平均	8.2	11	0.7	3	1.1E+04		
75%値			0.7				

類型： B 測定点：KC-5(渡場大橋) (033-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	9.8	1.1	5	2.4E+04	0.57	0.039
5	8.0	8.1	1.4	5	3.5E+04		
6	7.6	7.4	0.9	7	5.4E+04	0.71	0.074
7	7.7	8.9	0.8	7	5.4E+04		
8	7.6	9.2	<0.5	6	2.4E+04	0.69	0.051
9	7.8	8.1	0.5	3	1.7E+04		
10	7.8	8.7	1.0	7	5.4E+04	0.72	0.065
11	7.8	10	1.0	6	1.7E+04		
12	7.6	11	0.5	3	1.4E+04	0.90	0.048
1	7.6	11	0.9	9	1.7E+04		
2	7.7	12	1.0	7	4.9E+03	1.0	0.042
3	7.7	11	0.5	2	4.9E+02		
平均	7.7	9.6	0.8	6	2.6E+04	0.77	0.053
75%値			1.0				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 真締川水系

類型： B 測定点：RC-4(錦橋)(044-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	11	0.8	5	4.9E+03	0.41	0.041
5	8.1	13	0.9	10	2.3E+03		
6	7.2	7.3	0.7	5	3.5E+04	0.55	0.062
7	7.4	7.9	1.0	14	1.3E+05		
8	7.3	7.9	0.9	27	5.4E+04	0.51	0.094
9	7.4	6.2	0.5	5	3.5E+04		
10	7.9	8.8	0.7	9	2.4E+04	0.79	0.064
11	7.8	7.6	2.0	6	2.4E+05		
12	7.5	8.3	3.7	9	2.4E+05	1.9	0.15
1	7.8	12	1.4	8	2.2E+03		
2	7.9	12	<0.5	3	1.3E+03	0.85	0.040
3	7.5	12	0.7	24	7.9E+02		
平均	7.6	9.5	1.2	10	6.4E+04	0.84	0.075
75%値			1.0				

類型： A 測定点：RC-5(新橋)(045-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	11	1.2	5	2.3E+03		
5	8.0	10	1.2	12	4.9E+03		
6	7.6	4.9	1.1	6	1.7E+04		
7	7.7	8.7	1.2	11	3.5E+04		
8	7.8	8.4	1.0	6	7.9E+04		
9	7.8	9.1	1.1	12	1.4E+04		
10	7.8	9.7	0.8	11	1.7E+04		
11	7.5	7.6	1.2	6	7.9E+04		
12	7.8	11	0.7	2	3.5E+04		
1	7.5	12	0.7	6	3.4E+03		
2	8.0	12	0.5	3	4.9E+02		
3	7.6	10	1.0	7	4.9E+02		
平均	7.7	9.5	1.0	7	2.4E+04		
75%値			1.2				

類型： B 測定点：RC-6(琴芝橋)(044-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.1	9.6	1.0	4	2.3E+03		
5	7.4	11	1.5	4	2.4E+05		
6	7.2	6.1	1.8	5	1.7E+04		
7	7.2	7.9	1.4	13	7.9E+04		
8	7.3	8.4	1.3	36	1.1E+05		
9	7.5	7.9	0.8	7	1.3E+04		
10	7.3	7.7	0.8	2	2.2E+04		
11	7.1	6.3	1.0	8	1.7E+04		
12	7.1	9.0	1.4	3	2.2E+04		
1	7.1	9.8	1.3	7	1.1E+04		
2	7.3	10	<0.5	7	1.7E+03		
3	7.1	12	0.7	9	3.5E+03		
平均	7.2	8.8	1.1	9	4.5E+04		
75%値			1.4				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 木屋川水系

類型： B 測定点：SC-1(豊厚橋)(009-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	10	0.5	8	1.1E+02	0.65	0.042
5	7.7	8.1	0.6	3	2.3E+02		
6	7.5	7.0	1.2	41	3.5E+03	0.93	0.14
7	7.4	9.1	0.5	8	4.9E+03		
8	7.3	8.5	0.9	7	3.5E+04	0.67	0.041
9	7.4	6.4	0.6	7	2.3E+03		
10	7.6	8.9	0.5	5	3.3E+03	0.57	0.045
11	7.5	10	0.6	24	1.3E+03		
12	7.6	11	0.6	4	2.4E+03	0.80	0.038
1	7.9	11	<0.5	2	2.3E+02		
2	7.9	12	0.5	9	1.3E+03	0.64	0.033
3	7.8	13	0.5	21	4.9E+02		
平均	7.6	9.6	0.6	12	4.6E+03	0.71	0.057
75%値			0.6				

類型： A 測定点：SC-2(豊東橋)(010-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.2	11	0.9	3	1.3E+03	0.54	0.033
5	7.8	11	1.1	2	3.4E+03	0.53	0.050
6	7.5	9.4	1.1	7	1.7E+04	0.74	0.082
7	7.6	10	0.8	4	2.2E+04	0.54	0.050
8	7.5	9.4	1.1	5	5.4E+04	0.67	0.042
9	7.5	9.4	0.8	1	1.1E+04	0.58	0.044
10	7.6	10	1.0	2	2.4E+04	0.53	0.034
11	7.8	12	0.6	1	2.7E+03	0.66	0.044
12	7.5	11	1.6	7	5.4E+03	0.72	0.043
1	7.6	12	0.7	2	2.3E+02	0.59	0.019
2	7.8	13	0.6	1	3.3E+02	0.58	0.021
3	7.8	12	0.6	4	4.9E+02	0.67	0.037
平均	7.7	11	0.9	3	1.2E+04	0.61	0.042
75%値			1.1				

類型： A 測定点：SC-3(鳴瀬橋)(010-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.3	12	0.7	2	3.3E+02	0.37	0.019
5	7.9	12	0.7	2	2.4E+03	0.44	0.033
6	7.7	9.9	1.0	5	2.2E+04	0.51	0.063
7	7.8	10	0.8	5	2.2E+04	0.51	0.048
8	7.5	9.6	1.0	5	2.2E+04	0.59	0.033
9	7.7	9.9	0.5	1	2.4E+04	0.41	0.025
10	7.7	10	0.7	2	1.3E+04	0.45	0.028
11	8.0	11	1.2	1	1.1E+03	0.47	0.026
12	7.5	11	1.1	7	5.4E+03	0.72	0.054
1	7.7	12	0.5	2	1.1E+03	0.45	0.017
2	7.7	13	0.7	2	3.3E+02	0.51	0.017
3	7.8	12	<0.5	3	3.3E+02	0.55	0.020
平均	7.8	11	0.8	3	9.5E+03	0.50	0.032
75%値			1.0				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

類型： A 測定点：SC-4(吉田堰)(010-51)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	11	1.3	3	2.4E+03		
5	7.9	10	1.1	4	1.1E+03		
6	7.2	7.4	1.1	3	2.4E+04		
7	7.2	8.5	0.9	3	2.2E+04		
8	7.3	8.2	1.1	4	1.7E+04		
9	7.4	9.3	0.6	1	7.9E+03		
10	7.4	9.2	0.7	2	7.0E+03		
11	7.8	11	0.7	1	3.3E+03		
12	7.4	11	0.8	6	2.3E+03		
1	7.5	11	0.6	3	1.3E+03		
2	7.9	13	0.7	1	4.9E+02		
3	7.8	12	0.5	4	7.9E+02		
平均	7.5	10	0.8	3	7.5E+03		
75%値			1.1				

類型： A 測定点：SC-5(西山橋)(010-52)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.0	12	0.6	2	2.2E+03	0.47	0.045
5	8.1	12	0.6	2	2.3E+03		
6	7.8	9.5	1.6	3	2.2E+04	0.57	0.060
7	7.4	9.8	<0.5	3	2.2E+04		
8	7.7	9.2	0.8	4	5.4E+04	0.55	0.028
9	8.4	10	0.5	1	7.9E+03		
10	7.7	10	0.7	1	1.3E+04	0.57	0.027
11	7.8	11	<0.5	1	1.7E+03		
12	7.7	11	<0.5	1	3.5E+03	0.59	0.026
1	7.9	12	<0.5	1	3.3E+02		
2	7.6	13	<0.5	1	4.9E+01	0.62	0.024
3	7.7	13	<0.5	1	1.3E+02		
平均	7.8	11	0.7	2	1.1E+04	0.56	0.035
75%値			0.6				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 友田川水系

類型： B 測定点： ZC-1(安永橋)(049-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	9.6	0.9	3	2.3E+03	1.2	0.069
5	7.9	6.1	0.6	5	2.2E+03		
6	7.7	5.5	1.1	5	3.3E+03	1.3	0.14
7	7.3	6.2	1.2	5	1.3E+04		
8	7.6	6.5	1.5	6	3.4E+04	1.0	0.13
9	7.4	7.7	1.1	4	3.3E+03		
10	7.6	5.3	1.5	4	5.4E+04	1.8	0.19
11	7.8	6.1	1.1	3	4.9E+03		
12	7.8	7.5	1.3	29	1.3E+04	1.9	0.14
1	7.4	11	1.9	3	4.6E+04		
2	7.8	9.1	1.8	3	3.3E+03	1.4	0.32
3	7.9	10	1.2	4	9.4E+03		
平均	7.6	7.6	1.3	6	1.6E+04	1.4	0.16
75%値			1.5				

類型： A 測定点： ZC-2(胡麻多橋)(050-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	11	0.7	1	3.3E+02		
5	8.7	11	1.2	4	1.4E+03		
6	7.9	9.2	0.9	3	7.9E+03		
7	7.4	8.0	0.7	1	7.9E+04		
8	7.7	8.4	0.7	2	3.3E+03		
9	7.5	8.3	1.3	3	2.2E+04		
10	7.9	8.8	1.0	2	4.9E+04		
11	8.1	10	0.5	<1	4.6E+03		
12	7.7	10	0.6	1	7.0E+03		
1	7.7	11	0.9	<1	7.0E+02		
2	7.8	12	0.9	<1	4.9E+02		
3	7.8	12	0.6	1	2.3E+02		
平均	7.8	10	0.8	2	1.5E+04		
75%値			0.9				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 綾羅木川水系

類型： B 測定点：ZC-3(望洋橋)(047-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	9.6	0.8	1	1.3E+03	1.7	0.072
5	7.6	6.9	1.1	4	3.3E+03		
6	7.7	5.5	0.6	4	2.2E+03	1.3	0.12
7	7.3	8.0	<0.5	<1	7.9E+03		
8	7.5	6.9	0.6	3	1.7E+04	1.0	0.094
9	7.5	8.2	1.6	4	1.4E+04		
10	7.5	6.9	1.0	3	4.9E+03	1.7	0.13
11	7.8	6.7	0.6	3	1.3E+03		
12	7.6	10	0.8	7	4.9E+03	2.2	0.24
1	7.3	10	1.1	1	2.2E+03		
2	7.4	10	1.4	5	7.9E+03	2.8	0.11
3	7.5	10	0.8	1	4.9E+02		
平均	7.5	8.2	0.9	3	5.6E+03	1.8	0.13
75%値			1.1				

類型： A 測定点：ZC-4(石原橋)(048-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	11	<0.5	2	7.9E+02		
5	7.9	10	1.0	2	7.0E+03		
6	7.4	7.8	1.2	2	4.6E+03		
7	7.3	8.3	0.8	2	7.9E+03		
8	7.5	8.5	0.6	3	2.7E+04		
9	7.5	8.6	1.3	13	1.0E+04		
10	7.4	8.2	0.6	4	3.3E+02		
11	7.7	10	<0.5	3	4.9E+03		
12	7.5	11	<0.5	1	3.1E+03		
1	7.5	12	1.0	2	1.3E+02		
2	7.8	13	1.1	1	1.3E+03		
3	7.9	12	0.6	2	1.7E+02		
平均	7.6	10	0.8	3	5.6E+03		
75%値			1.0				

類型： A 測定点：ZC-7(観月橋)(048-51)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	11	<0.5	1	1.7E+03		
5	7.5	9.6	1.0	10	4.9E+03		
6	7.3	6.8	0.9	7	3.3E+03		
7	7.3	8.2	1.0	2	1.3E+04		
8	7.5	8.3	0.9	2	3.3E+03		
9	7.6	8.6	1.3	9	1.7E+04		
10	7.5	8.7	0.9	3	1.7E+03		
11	7.6	10	0.6	4	3.3E+03		
12	7.5	10	0.6	<1	1.7E+03		
1	7.5	11	2.2	2	2.7E+02		
2	7.6	12	1.5	3	4.9E+03		
3	7.9	12	1.9	2	1.7E+03		
平均	7.5	9.7	1.1	4	4.7E+03		
75%値			1.3				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 武久川水系

類型： B 測定点：ZC-5(汐入橋)(046-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	9.9	1.6	2	1.7E+02	2.0	0.10
5	8.4	11	0.6	7	5.4E+04		
6	7.9	7.1	0.9	6	2.7E+03	1.7	0.11
7	7.7	8.4	1.0	7	1.7E+04		
8	7.8	7.4	0.8	6	2.7E+03	1.5	0.092
9	8.2	10	1.5	2	1.4E+04		
10	7.8	7.8	1.0	3	3.4E+03	2.0	0.12
11	8.0	8.3	0.9	6	2.2E+03		
12	7.8	9.8	1.6	1	4.9E+03	2.3	0.13
1	7.7	11	1.7	2	1.3E+03		
2	7.8	11	2.2	3	4.9E+03	2.7	0.085
3	8.4	13	1.4	2	3.3E+02		
平均	7.9	9.6	1.3	4	9.0E+03	2.0	0.11
75%値			1.6				

類型： B 測定点：ZC-6(生野橋)(046-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	10	1.0	1	1.4E+03		
5	8.0	9.5	1.1	2	1.7E+03		
6	7.7	7.6	1.1	<1	1.0E+04		
7	7.7	7.2	2.7	4	3.3E+04		
8	7.9	8.2	1.1	3	7.0E+03		
9	7.9	8.5	1.1	2	1.7E+04		
10	7.8	7.6	1.0	1	1.0E+03		
11	8.1	9.9	0.8	3	4.9E+03		
12	7.9	10	0.7	1	7.0E+03		
1	7.8	11	1.7	2	1.7E+03		
2	7.9	11	1.3	1	1.3E+03		
3	8.7	14	1.9	3	1.7E+03		
平均	7.9	9.5	1.3	2	7.3E+03		
75%値			1.3				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 川棚川水系

類型： B 測定点：DC-1(下村大橋)(059-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	12	0.5	2	4.9E+02	0.54	0.027
5	7.5	9.7	0.9	4	2.3E+03		
6	7.2	7.2	1.1	4	1.0E+03	0.83	0.12
7	7.0	7.5	1.4	2	3.3E+04		
8	7.3	8.0	0.6	3	1.4E+04	0.60	0.049
9	7.4	8.4	1.4	8	1.0E+04		
10	7.3	8.4	0.9	3	3.4E+03	0.66	0.052
11	7.5	10	<0.5	<1	7.0E+03		
12	7.3	11	<0.5	2	4.9E+03	0.78	0.039
1	7.4	11	0.8	2	3.4E+02		
2	7.5	12	0.8	1	7.0E+02	0.56	0.023
3	7.6	12	0.7	1	3.3E+02		
平均	7.4	9.8	0.8	3	6.5E+03	0.66	0.052
75%値			0.9				

類型： A 測定点：DC-2(上畔橋)(060-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.3	10	<0.5	1	2.3E+02		
5	7.6	9.6	0.9	1	1.7E+03		
6	7.4	8.2	1.1	2	1.3E+04		
7	7.1	8.1	0.6	1	1.3E+04		
8	7.3	8.2	<0.5	2	1.7E+03		
9	7.3	8.6	1.3	12	1.7E+04		
10	7.4	8.7	0.5	2	2.7E+03		
11	7.5	10	<0.5	1	9.4E+03		
12	7.3	11	<0.5	1	4.6E+03		
1	7.4	11	0.8	2	1.3E+03		
2	7.5	12	0.7	<1	7.9E+02		
3	7.6	11	0.6	<1	2.3E+02		
平均	7.4	9.7	0.7	2	5.5E+03		
75%値			0.8				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 栗野川水系

類型： A 測定点：LC-5(郷の橋)(051-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	12	<0.5	1	1.3E+03	0.41	0.022
6	7.6	8.9	<0.5	1	2.3E+03	0.56	0.038
8	7.4	8.1	1.0	11	3.5E+04	0.62	0.054
10	7.3	9.6	0.5	1	7.0E+03	0.48	0.032
12	7.6	12	0.6	2	1.3E+04	0.68	0.034
2	8.5	14	<0.5	1	2.3E+02	0.55	0.015
平均	7.7	11	0.6	3	9.8E+03	0.55	0.033
75%値			0.6				

類型： A 測定点：LC-6(滑川との合流点)(051-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.1	11	0.6	1	1.3E+04		
6	8.4	9.0	0.7	2	2.2E+03		
8	7.6	9.1	0.7	4	7.9E+04		
10	7.9	11	<0.5	1	7.0E+03		
12	7.7	12	0.5	2	3.5E+03		
2	8.3	14	<0.5	1	1.7E+02		
平均	8.0	11	0.6	2	1.7E+04		
75%値			0.7				

類型： A 測定点：LC-7(出合橋)(051-03)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.1	11	0.6	2	1.3E+03		
6	8.3	9.0	0.7	2	5.4E+04		
8	7.7	9.2	0.9	7	1.7E+05		
10	8.0	10	0.5	1	2.7E+03		
12	7.7	12	0.5	2	2.4E+03		
2	8.0	13	<0.5	1	2.2E+02		
平均	8.0	11	0.6	3	3.8E+04		
75%値			0.7				

類型： AA 測定点：LC-8(蓋之井川合流点2Km上流)(052-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	10	<0.5	<1	2.3E+02		
6	7.6	9.0	<0.5	<1	1.1E+04		
8	7.4	9.6	0.6	1	4.9E+03		
10	7.4	9.9	<0.5	4	2.2E+03		
12	7.3	12	<0.5	1	4.6E+01		
2	7.4	13	<0.5	<1	7.9E+01		
平均	7.4	11	0.5	2	3.1E+03		
75%値			<0.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 掛淵川水系

類型： A 測定点：LC-1(やなば橋) (053-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	11	0.7	3	1.4E+03	0.38	0.044
6	7.5	8.4	0.9	12	2.4E+04	0.79	0.12
8	7.4	8.6	1.1	13	5.4E+04	0.59	0.058
10	7.5	10	0.9	2	1.3E+04	0.61	0.037
12	7.8	12	<0.5	10	7.9E+03	0.67	0.054
2	8.1	14	<0.5	2	7.0E+01	0.69	0.027
平均	7.7	11	0.8	7	1.7E+04	0.62	0.057
75%値			0.9				

類型： A 測定点：LC-2(滑橋下流30m) (053-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	11	<0.5	1	3.3E+02		
6	6.9	8.6	1.1	1	1.7E+04		
8	7.3	8.9	1.0	32	7.9E+04		
10	7.4	10	0.8	1	3.5E+04		
12	7.4	11	<0.5	1	1.7E+04		
2	7.5	13	<0.5	<1	2.3E+02		
平均	7.3	10	0.7	6	2.5E+04		
75%値			1.0				

類型： A 測定点：LC-3(阿惣橋) (053-03)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	11	<0.5	<1	1.7E+03	0.35	0.005
6	7.0	8.9	0.5	<1	4.9E+03	0.32	0.010
8	7.3	9.2	<0.5	6	5.4E+04	0.47	0.014
10	7.2	10	0.8	<1	1.3E+03	0.53	0.009
12	7.3	11	<0.5	<1	2.2E+03	0.47	0.008
2	7.3	13	<0.5	<1	1.1E+02	0.57	0.003
平均	7.3	11	0.6	2	1.1E+04	0.45	0.008
75%値			0.5				

類型： A 測定点：LC-4(油谷碎石排水口下流50m) (053-04)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	10	<0.5	<1	1.3E+02		
6	7.6	9.6	0.5	<1	1.7E+03		
8	7.5	9.4	0.8	3	7.9E+03		
10	7.5	10	0.8	2	3.3E+03		
12	7.5	11	<0.5	1	1.4E+03		
2	7.5	13	<0.5	1	7.9E+01		
平均	7.5	11	0.6	2	2.4E+03		
75%値			0.8				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 深川川水系

類型： A 測定点：FC-1(緑橋)(037-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	10	0.5	1	1.4E+03	0.44	0.019
6	7.4	9.2	0.6	2	1.1E+04	0.67	0.062
8	7.5	9.5	0.5	3	1.1E+05	0.57	0.027
10	8.0	11	0.8	1	1.1E+04	0.67	0.021
12	7.6	12	<0.5	2	3.3E+03	0.78	0.023
2	7.6	13	<0.5	<1	2.3E+02	0.74	0.013
平均	7.6	11	0.6	2	2.3E+04	0.65	0.028
75%値			0.6				

類型： A 測定点：FC-2(湯本の橋)(037-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	11	<0.5	2	4.9E+02		
6	7.9	9.4	0.6	2	1.3E+04		
8	7.6	9.4	<0.5	2	5.4E+04		
10	7.7	10	0.8	1	7.9E+03		
12	7.7	11	<0.5	<1	3.3E+03		
2	7.8	12	<0.5	<1	7.9E+01		
平均	7.8	10	0.6	2	1.3E+04		
75%値			0.6				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 三隅川水系

類型： A 測定点：MC-1(琴橋)(061-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	<0.5	<1	1.1E+03	0.55	0.020
6	7.3	7.5	<0.5	5	4.9E+03	0.71	0.056
8	7.5	9.1	<0.5	4	7.9E+04	0.71	0.038
10	7.7	11	0.9	2	1.7E+03	0.71	0.028
12	7.5	11	<0.5	1	2.8E+03	0.85	0.027
2	7.8	13	<0.5	2	1.4E+02	0.78	0.020
平均	7.6	10	0.6	3	1.5E+04	0.72	0.032
75%値			<0.5				

類型： A 測定点：MC-2(麓橋)(061-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.5	11	0.6	1	3.3E+02		
6	7.9	10	0.9	3	2.4E+04		
8	7.7	9.7	0.7	1	5.4E+04		
10	8.1	10	0.8	1	3.3E+03		
12	7.9	12	<0.5	<1	1.3E+03		
2	8.7	13	<0.5	<1	3.3E+01		
平均	8.1	11	0.7	1	1.4E+04		
75%値			0.8				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 阿武川水系

類型： A 測定点：BC-1(萩橋)(038-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	11	0.6	1	2.3E+02		
6	8.0	10	0.7	17	3.5E+03		
8	7.5	8.9	0.7	2	1.7E+04		
10	7.8	9.3	<0.5	1	3.3E+03		
12	7.5	11	0.6	1	7.9E+02		
2	7.6	12	<0.5	1	1.4E+02		
平均	7.7	10	0.6	4	4.2E+03		
75%値			0.7				

類型： A 測定点：BC-2(玉江橋)(038-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	11	0.6	1	1.7E+02		
6	7.6	10	0.9	1	1.7E+03		
8	7.4	8.9	0.8	1	3.5E+04		
10	8.0	8.3	0.6	1	2.4E+02		
12	7.6	11	1.1	<1	3.5E+03		
2	7.4	12	<0.5	1	4.9E+02		
平均	7.6	10	0.8	1	6.9E+03		
75%値			0.9				

類型： A 測定点：BC-3(明木川合流点下50m)(038-03)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	11	0.5	1	1.7E+02		
6	8.0	11	1.2	2	3.5E+03		
8	7.7	10	0.8	1	3.5E+04		
10	7.3	8.8	<0.5	<1	1.1E+03		
12	7.4	10	0.8	<1	2.2E+02		
2	7.5	12	<0.5	1	2.3E+02		
平均	7.6	10	0.7	1	6.7E+03		
75%値			0.8				

類型： AA 測定点：BC-4(聴秋橋)(066-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	11	0.8	5	1.1E+03		
6	7.9	9.8	0.6	2	2.8E+03		
8	7.7	9.0	0.8	9	5.4E+04		
10	7.7	10	<0.5	7	7.9E+03		
12	7.5	12	0.6	4	7.9E+02		
2	7.6	12	<0.5	5	1.3E+03		
平均	7.7	11	0.6	5	1.1E+04		
75%値			0.8				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

類型：AA 測定点：BC-5(白井谷川合流点の橋)(067-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.4	10	<0.5	5	2.2E+03		
6	8.1	9.4	<0.5	2	1.4E+03		
8	8.0	9.1	<0.5	3	3.5E+04		
10	8.1	10	<0.5	2	4.9E+03		
12	7.9	12	0.5	1	4.9E+02		
2	8.0	12	<0.5	12	2.3E+02		
平均	8.1	10	0.5	4	7.4E+03		
75%値			<0.5				

類型：AA 測定点：BC-6(長者原の橋)(040-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	<0.5	1	4.9E+02		
6	7.7	9.7	0.5	1	3.5E+03		
8	7.5	9.2	<0.5	1	7.0E+03		
10	7.5	11	<0.5	<1	3.5E+03		
12	7.5	13	0.8	<1	7.9E+01		
2	7.4	13	<0.5	1	7.9E+01		
平均	7.5	11	0.6	1	2.4E+03		
75%値			0.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 大井川水系

類型： A 測定点：0C-1(大井橋)(062-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.2	10	<0.5	1	1.3E+03		
6	7.3	10	0.5	1	2.6E+03		
8	7.1	9.3	0.6	2	1.1E+04		
10	7.4	10	<0.5	1	7.0E+03		
12	7.3	12	0.6	<1	3.3E+02		
2	7.3	12	<0.5	1	2.3E+02		
平均	7.3	11	0.5	1	3.7E+03		
75%値			0.6				

類型： A 測定点：0C-2(高木橋)(062-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.3	12	0.5	2	3.3E+02		
6	7.2	10	0.6	3	3.5E+03		
8	7.1	9.7	1.0	3	1.3E+04		
10	7.3	10	<0.5	1	4.9E+03		
12	7.1	12	0.5	1	7.9E+02		
2	7.1	12	<0.5	1	1.7E+02		
平均	7.2	11	0.6	2	3.8E+03		
75%値			0.6				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成26年度 河川

水域名 田万川水系

類型： A 測定点：TC-1(須潟橋)(063-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	10	<0.5	2	1.3E+03		
6	7.4	8.9	<0.5	5	1.7E+04		
8	7.3	10	0.7	4	2.4E+04		
10	7.7	9.5	<0.5	12	4.9E+03		
12	7.3	12	0.6	4	4.6E+02		
2	7.5	12	<0.5	28	2.2E+02		
平均	7.5	10	0.6	9	8.0E+03		
75%値			0.6				

類型： A 測定点：TC-2(高岩橋)(063-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	11	<0.5	2	3.3E+02		
6	7.6	9.6	0.5	4	1.7E+04		
8	7.5	9.4	0.7	2	1.3E+04		
10	7.7	10	<0.5	15	3.3E+03		
12	7.5	12	<0.5	3	4.9E+02		
2	7.8	12	<0.5	21	1.7E+02		
平均	7.6	11	0.5	8	5.7E+03		
75%値			0.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。